

[Print](#)

Project Name: VCT - new circling areas

Project Reason: New circling areas established. Alternate minimums and backup altimeter notes updated based on new circling HAAs/visibilities only, other values not verified. Controlling obstacles: Cat A/B: BUILDING (48-030769) 284951.26N/0965528.53W 262 (2C) + ROC 300 = MDA 580. Cat C: TOWER (48-008172) 285030.00N/0965840.00W 509 (1A) + ROC 300 = MDA 820. Cat D: TOWER (48-002049) 284723.96N/0965621.29W 580 (1A) + ROC 300 = MDA 880. Radii: Cat A: 1.30 Cat B: 1.81 Cat C: 2.84 Cat D: 3.71

Last Updated By: Russell Roslewski

Last Updated At: 2020-10-23 15:48:40.189233

Status: Active

!FDC 0/7388 VCT IAP VICTORIA RGNL, VICTORIA, TX. RNAV (GPS) RWY 31R, AMDT 1A... CIRCLING CAT C MDA 820/HAA 705, CAT D MDA 880/HAA 765, VIS CAT C 2, CAT D 2 1/2. CHANGE NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PORT LAVACA ALTIMETER SETTING: INCREASE LPV DA TO 358 FEET; INCREASE LNAV/VNAV DA TO 426 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDAS 60 FEET AND VISIBILITY CATS C/D/E 1/4 SM. ALTERNATE MINIMUMS: STANDARD EXCEPT CAT D 800-2 1/2, NA WHEN LOCAL WEATHER NOT AVAILABLE. 2010231548-2210231548EST