

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> CREIGHTON MUNI	<u>AIRPORT ID</u> 6K3	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 31	<u>ORIGINAL/AMENDMENT</u> ORIG-D	<u>CITY</u> CREIGHTON	<u>STATE</u> NE	
<u>AIRPORT ELEVATION</u> 1653	<u>TDZE</u> 1647	<u>SUPERSEDED</u> RNAV (GPS) RWY 31	<u>ORIGINAL/AMENDMENT</u> ORIG-C	<u>DATED</u> 04/25/2019	<u>MAG VAR</u> 5E	<u>EPOCH YEAR</u> 2010
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 FEBRUARY 2021	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
SAHIW		KUCKE		TF	FB	1.00	357.22	28.28	4000
PENDE		KUCKE		TF	FB	1.00	277.41	35.66	4000
KUCKE	IAF	DIGCE		TF	FB	1.00	305.49	5.00	4000
DIGCE	IF	FIRAG		TF	FB	1.00	305.44	4.98	3300
FIRAG	FAF	JONEV/2.20 NM TO RW31		TF	FB	0.30	305.38	2.87	
JONEV/2.20 NM TO RW31		RW31	MAP	TF	FO	0.30	305.38	2.20	
RW31	MAP	2026 MSL		CA			305.38		
2026 MSL		WABEX		DF	FO	1.00			4000

MISSED APPROACH

MAP:

LPV: DA
LNAV/VNAV: DA
LNAV: RW31

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 4000 DIRECT WABEX AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)

2. PROFILE STARTS AT KUCKE

3. FAC: 305.38 FAF: FIRAG DIST FAF TO MAP: 5.07 DIST FAF TO THLD: 5.07

4. MIN ALT: KUCKE 4000, DIGCE 4000, FIRAG 3300, JONEV/2.20 NM TO RW31 2380*

5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 379 HAT: 1.06 GS ANT:

6. MIN GP INCPT: 3300 GP ALT AT FAF : FIRAG 3300 OM: MM: IM:

7. GP ANGLE: 3.00 34:1: IS CLEAR 20:1: IS CLEAR TCH: 40.0

8. MSA FROM: RW31 3600

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: CIRCLING NA TO RWYS 18 AND 36.
CHART NOTE: BARO-VNAV NA.
*LNAV ONLY
CHART NOTE: USE YANKTON ALTIMETER SETTING; WHEN NOT RECEIVED, USE O'NEILL ALTIMETER SETTING: INCREASE DA TO 2033 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL MDA 20 FEET.

ADDITIONAL FLIGHT DATA:

CHART: 2205 TWR 422422N/0974751W
CHART YANKTON AWOS-3
CHART ARRIVAL HOLDING AT KUCKE: HOLD SE, RT, 305.49 INBOUND, 4000.
WAAS CHANNEL #45821
REFERENCE PATH ID: W31A
CHART FAS OBST: 1740 TREE 422659N/0975038W.
HOLD NW, RT, 125.13 INBOUND
LTP HAE: 475.7 M

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LPV DA	2026	1 1/4	379	2026	1 1/4	379		NA			NA				
LNAV/VNAV DA	2026	1 1/4	379	2026	1 1/4	379		NA			NA				
LNAV MDA	2120	1	473	2120	1	473		NA			NA				
CIRCLING	2160	1	507	2500	1 1/4	847		NA			NA				



CHANGES - REASONS

1. REMOVED PLANVIEW NOTE: PROCEURE NA FOR ARRIVALS AT PENDE ON V219 NORTHEAST BOUND - SUX VOR DECOMM/V219 CANCELLATION.

COORDINATED WITH:

A4A ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** ZMP, AMGR

FLIGHT CHECKED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCTOBER 3, 2018, SUBJECT:
FLIGHT INSPECTION REVIEW NOT REQUIRED

OFFICE

Digitally signed by

DATE

DAVID DANNER

May 04, 2020

DEVELOPED BY

DAVID DANNER (APRIL SARMENTO)

Digitally signed by

DAVID DANNER

May 04, 2020

OFFICE

AJV-A421

DATE

01/14/2020

APPROVED BY

MARLON ROBINSON

Digitally signed by

DAVID DANNER

May 04, 2020

OFFICE

AJV-A420

DATE

TITLE

MANAGER

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	6K3
RUNWAY	RW31
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W31A
LTP/FTP LATITUDE	422806.4020N
LTP/FTP LONGITUDE	0975246.8375W
LTP/FTP ELLIPSOIDAL HEIGHT	+04757
FPAP LATITUDE	422904.0600N
FPAP LONGITUDE	0975418.6500W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1624
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	C6F2F094

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+05011
FPAP ORTHOMETRIC HEIGHT	+05011

