

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97. 23					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES					MISSED APPROACH										
FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: 5.51 MILES AFTER CEZ VOR/DME OR AT 5.5 DME CLIMBING RIGHT TURN TO 9800 DIRECT TO CEZ VOR/DME AND HOLD ADDITIONAL FLIGHT DATA: HOLD N, RT, 170.00 INBOUND FAS OBST: 6315 TOWER 372050/1083507 CEZ VOR/DME TO RW21: 3.49/50 CHART: TDZ ELEV 5913, AIRPORT ELEV 5918											
1. PT <u>L</u> SIDE OF COURSE <u>350.00</u> OUTBOUND <u>9800</u> FT WITHIN <u>10</u> MILES OF <u>CEZ VOR/DME</u> (IAF) 2. _____ 3. FAC <u>196.29</u> FAF <u>CEZ VOR/DME</u> DIST FAF TO MAP <u>5.51</u> THLD <u>5.51</u> 4. MIN. ALT <u>CEZ VOR/DME 8000</u> 8. MSA FROM: <u>CEZ VOR/DME 020-110 14300, 110-200 10000, 200-020 11000</u>					MAG VAR: 14E EPOCH YEAR: 70										
MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		STANDARD \$ \$ CAT D 900-3						
CATEGORY ==>	A		B		C		D		E						
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-21	6600	1	687	6600	1	687	6600	2	687	6600	2 1/4	687			
CIRCLING	6600	1	682	6600	1	682	6600	2	682	6800	3	882			
NOTES: CAUTION: HIGHWAY LIGHTS LOCATED BETWEEN FACILITY AND RUNWAY ARE ALIGNED WITH APPROACH AREA															
CITY AND STATE		ELEVATION: 5918 TDZE: 5913		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:				SUP					
CORTEZ, CO		CORTEZ MUNI		CEZ		VOR RWY 21, AMDT 5A				AMDT 5					
										DATE 3 FEB 86					