

**Federal Aviation  
Administration**

**Transmittal Letter 21-21**

**August 20, 2021**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
10/7/2021	TX	Fort Worth	Fort Worth Spinks	1/7187	5/24/2021	RNAV (GPS) RWY 35L, Amdt 1A

**AIRAC Date: 7 OCTOBER 2021**

FDC 1/7187 FWS IAP FORT WORTH SPINKS, FORT WORTH, TX. RNAV (GPS) RWY 35L, AMDT 1A... CIRCLING CAT C/D MDA 1340/HAA 640, CAT C VIS 1 3/4. DELETE NOTE: BARO-VNAV AND VDP NA WHEN USING FORT WORTH MEACHAM ALTIMETER SETTING. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE FORT WORTH MEACHAM ALTIMETER SETTING AND INCREASE ALL DA 37 FEET AND ALL MDA 40 FEET, INCREASE LNAV/VNAV ALL CATS VISIBILITY 1/8 MILE. DELETE NOTE: FOR INOP MALSR WHEN USING FORT WORTH MEACHAM ALTIMETER SETTING, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 3/4 MILE AND LNAV CATS C/D VISIBILITY TO 1 3/8 MILE. THIS IS RNAV (GPS) RWY 35L, AMDT 1B. 2105181207-PERM