

RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW16 CLIMB TO 3000 DIRECT PAXXE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 343.92 INBOUND. CHART FAS OBST: 974 OL ON GRAIN ELEV 325123N/0972128W CHART FAS OBST: 990 ELEVATOR 325155N/0972159W 1009 AAO: 325447N/0972332W DISTANCE TO THLD FROM 200 HAT: 0.45 NM. CHART VDP AT 1.49 MILES TO RW16* *LNAV ONLY. WAAS CHANNEL # 42612 REFERENCE PATH ID: W16A						
UKW VORTAC		FOXEB (FB)		144.36 / 35.77				3000								
FOXEB (IAF)		WOROD (NOPT) (FB)		073.83 / 5.00				3000								
WOROD (IF/IAF)		MESDE (FB)		163.88 / 6.01				2500								
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD N WOROD, RT, 163.88 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC: <u>163.89</u> FAF: <u>MESDE</u> DIST FAF TO MAP: <u>5.36</u> THLD: <u>5.36</u> 4. MIN. ALT: <u>WOROD 3000, MESDE 2500</u> 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u>2500</u> GS ALT AT: <u>MESDE</u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u>3.00</u> TCH: <u>56.6</u> <u>34:1 IS CLEAR</u> 8. MSA FROM: <u>RW16 3600</u>										MAG VAR: 8E EPOCH YEAR: 1975						
MINIMUMS																
TAKEOFF: <u> </u>		STANDARD <input checked="" type="checkbox"/>		SEE FAA FORM 8260-15A FOR THIS AIRPORT		ALTERNATE: N A		STANDARD								
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	910	2400	200	910	2400	200	910	2400	200	910	2400	200				
LNAV/VNAV DA	1284	1 1/2	574	1284	1 1/2	574	1284	1 1/2	574	1284	1 1/2	574				
LNAV MDA	1240	2400	530	1240	2400	530	1240	5000	530	1240	6000	530				
CIRCLING	1260	1	550	1260	1	550	1280	1 1/2	570	1300	2	590				
NOTES: CHART NOTE: CIRCLING TO RWY 17 NA AT NIGHT. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 47C (116F). CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT UKW VORTAC VIA V17-161 NORTHBOUND.																
CITY AND STATE FORT WORTH, TX		ELEVATION: 710 TDZE: 710 AIRPORT NAME: FORT WORTH MEACHAM INTL				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 16, AMDT 1 07 MAY 2009				SUP: AMDT: ORIG-A DATED 02/19/2004				

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KFTW
RUNWAY	RW16
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W16A
LTP/FTP LATITUDE	324948.6300N
LTP/FTP LONGITUDE	0972144.9500W
LTP/FTP ELLIPSOIDAL HEIGHT	+01886
FPAP LATITUDE	324830.3500N
FPAP LONGITUDE	0972131.7600W
THRESHOLD CROSSING HEIGHT (TCH)	00056.6
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0152
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0
<u>CRC REMAINDER</u>	0C84012D

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+02164
FPAP ORTHOMETRIC HEIGHT	+02164

CITY AND STATE FORT WORTH, TX	ELEVATION: 710 TDZE: 710 AIRPORT NAME: FORT WORTH MEACHAM INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 16, AMDT 1 07 MAY 2009	SUP:
				AMDT: ORIG-A
				DATED: 02/19/2004

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG-A
DATED:	02/19/2004

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KFTWK4PR16	RW16 001	0000W16A0N3249486300W09721449500+018860300N3248303500W09721317600106750152000566F4003500C84012D
SUSAP KFTWK4PR16	RW16 002E	+02164+02164LPV 42612 000

[illegible]

ELEVATION: 710 TDZE: 710
AIRPORT NAME:
FORT WORTH MEACHAM INTL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 16, AMDT 1
07 MAY 2009

SUP:	
AMDT:	ORIG-A
DATED:	02/19/2004

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	UKW	UKW	010		IF		FB				
	UKW	FOXEB	020	IAF	TF		FB	2.0	144.4 (152T)	035.8	03000
	UKW	WOROD	030		TF		FB	1.0	073.8 (082T)	005.0	03000
	WOROD	WOROD	010		HF	R	FB		163.9 (172T)	004.0	03000
		WOROD	010	FACF	IF		FB				03000
		MESDE	020	FAF	TF		FB	0.5	163.9 (172T)	006.0	02500
		RW16	030	MAP	TF		FO	0.3	063.9 (072T)	005.4	00767

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	PAXXE	040		DF		FO	1.0			03000
	PAXXE	050		HM	R	FO	2.0	343.9 (352T)	004.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	UKW	N333209.19	W0974916.60	N3332.153	W09749.277
	FOXEB	N330022.73	W0972932.43	N3300.379	W09729.541
	MESDE	N325507.82	W0972238.81	N3255.130	W09722.647
	PAXXE	N323804.24	W0971946.45	N3238.071	W09719.774
	WOROD	N330105.33	W0972339.27	N3301.089	W09723.655
	RW16	N324948.63	W0972144.95	N3249.811	W09721.749

RUNWAY DATA	THRESHOLD	
RWY	ELEVATION	TCH
RW16	00710	57

CITY AND STATE
FORT WORTH, TX

ELEVATION: 710 TDZE: 710
 AIRPORT NAME:
FORT WORTH MEACHAM INTL

FACILITY
 IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 16, AMDT 1
07 MAY 2009

SUP:
 AMDT: **ORIG-A**
 DATED: **02/19/2004**