

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name DSNEE (RNAV)	Number SIX	STAR Computer Code DSNEE.DSNEE6	Superseded Number FIVE	Dated 10/07/2021	Effective Date 05SEPT2024				
TRANSITION ROUTES:									
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
NEEDLES	EED.DSNEE6	EED VORTAC	EED VORTAC						
			ONLY	218.36	30.21	FL190	12200		
			FOVOL	218.10	39.21	17000	12200		AT/ABOVE FL280
			DRTHI	246.54	31.67	17000	12200		AT/ABOVE FL240
			CHURO	247.57	06.43	13000	12200		AT/ABOVE FL220
			BRCKK	247.61	10.82	13000	12200		AT/ABOVE FL200
			ROADE	247.25	10.73	13000	12200		BETWEEN 17000 AND FL190
			PHIYA	248.59	11.31	10700	10700		AT 14000
			TOETO	248.47	12.20	8000	8000		AT/BELOW 10000
			DSNEE	248.33	11.28	8000	8000		AT 8000
EMLLD	EMLLD.DSNEE6	EMLLD	EMLLD						
			LITNG	264.04	38.66	17000	12200		
			WTTCH	263.65	37.01	17000	12200		AT/ABOVE FL260
			DRTHI	260.95	27.86	17000	12200		AT/ABOVE FL240
			CHURO	247.57	06.43	13000	12200		AT/ABOVE FL220
			BRCKK	247.61	10.82	13000	12200		AT/ABOVE FL200
			ROADE	247.25	10.73	13000	12200		BETWEEN 17000 AND FL190
			PHIYA	248.59	11.31	10700	10700		AT 14000
			TOETO	248.47	12.20	8000	8000		AT/BELOW 10000
			DSNEE	248.33	11.28	8000	8000		AT 8000
FEYLA	FEYLA.DSNEE6	FEYLA	FEYLA			17000	10800		
			LRSON	212.06	29.59	17000	10800		AT/ABOVE FL280
			GITRR	212.45	16.51	17000	10800		AT/ABOVE FL250
			KCHOW	207.87	15.20	13000	10800		AT/ABOVE FL200
			AASPN	207.75	18.91	10800	10800		AT 14000
			KADYN	196.98	06.73	10800	10800		AT/BELOW 13000
			EROCK	190.05	11.49	10800	10800		AT/ABOVE 12000

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name DSNEE (RNAV)		Number SIX		STAR Computer Code DSNEE.DSNEE6		Superseded Number FIVE			Dated 10/07/2021	Effective Date 05SEPT2024
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes	
			LUQAS	215.34	05.71	8000	8000		AT/BELOW 11000	
			DSNEE	215.73	10.77	8000	8000		AT 8000	
HIMDU	HIMDU.DSNEE6	HIMDU	HIMDU							
			WEELL	241.31	15.10	17000	12200			
			WURMO	241.32	19.66	17000	12200			
			THERS	240.67	13.64	17000	12200			
			FOVOL	241.06	32.10	17000	12200		AT/ABOVE FL280	
			DRTHI	246.54	31.67	17000	12200		AT/ABOVE FL240	
			CHURO	247.57	06.43	13000	12200		AT/ABOVE FL220	
			BRCKK	247.61	10.82	13000	12200		AT/ABOVE FL200	
			ROADE	247.25	10.73	13000	12200		BETWEEN 17000 AND FL190	
			PHIYA	248.59	11.31	10700	10700		AT 14000	
			TOETO	248.47	12.20	8000	8000		AT/BELOW 10000	
			DSNEE	248.33	11.28	8000	8000		AT 8000	
LRSON	LRSON.DSNEE6	LRSON	LRSON			17000	10800		AT/ABOVE FL280	
			GITRR	212.45	16.51	17000	10800		AT/ABOVE FL250	
			KCHOW	207.87	15.20	13000	10800		AT/ABOVE FL200	
			AASPN	207.75	18.91	10800	10800		AT 14000	
			KADYN	196.98	06.73	10800	10800		AT/BELOW 13000	
			EROCK	190.05	11.49	10800	10800		AT/ABOVE 12000	
			LUQAS	215.34	05.71	8000	8000		AT/BELOW 11000	
			DSNEE	215.73	10.77	8000	8000		AT 8000	
MARUE	MARUE.DSNEE6	MARUE	MARUE							
			SCROW	238.81	24.13	17000	10800			
			FJAYY	238.64	21.66	17000	10800			
			LRSON	238.85	29.08	17000	10800		AT/ABOVE FL280	
			GITRR	212.45	16.51	17000	10800		AT/ABOVE FL250	
			KCHOW	207.87	15.20	13000	10800		AT/ABOVE FL200	

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name			Number	STAR Computer Code	Superseded Number			Dated	Effective Date
DSNEE (RNAV)			SIX	DSNEE.DSNEE6	FIVE			10/07/2021	05SEPT2024
Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitudes / Fixes
			AASPN	207.75	18.91	10800	10800		AT 14000
			KADYN	196.98	06.73	10800	10800		AT/BELOW 13000
			EROCK	190.05	11.49	10800	10800		AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	8000		AT/BELOW 11000
			DSNEE	215.73	10.77	8000	8000		AT 8000
NATEE	NATEE.DSNEE6	NATEE	NATEE						
			FEYLA	213.79	35.00	17000	10800		
			LRSON	212.06	29.59	17000	10800		AT/ABOVE FL280
			GITRR	212.45	16.51	17000	10800		AT/ABOVE FL250
			KCHOW	207.87	15.20	13000	10800		AT/ABOVE FL200
			AASPN	207.75	18.91	10800	10800		AT 14000
			KADYN	196.98	06.73	10800	10800		AT/BELOW 13000
			EROCK	190.05	11.49	10800	10800		AT/ABOVE 12000
			LUQAS	215.34	05.71	8000	8000		AT/BELOW 11000
			DSNEE	215.73	10.77	8000	8000		AT 8000

ARRIVAL ROUTE DESCRIPTION:

LANDING KLGB RWY 12: FROM DSNEE ON TRACK 235.97/9.49 TO CROSS MCKYE AT OR ABOVE 7200, THEN ON TRACK 236.32/2.49 TO CROSS MOUSS AT OR ABOVE 6600, THEN ON TRACK 236.47/10.41 TO CROSS GOOFY AT 4000, THEN ON TRACK 236.66/3.06 TO CROSS PIBBB AT 4000, THEN ON TRACK 256.31/6.26 TO LUVCI, THEN ON TRACK 269.25/8.83 TO CROSS QGATE AT OR ABOVE 3000, THEN ON TRACK 331.52/3.34 TO CROSS BREKE AT 3000. EXPECT RNAV (RNP) RWY 12 APPROACH.

LANDING KLGB RWY 26R, 30: FROM DSNEE ON TRACK 235.97/9.49 TO CROSS MCKYE AT OR ABOVE 7200, THEN ON TRACK 236.32/2.49 TO CROSS MOUSS AT OR ABOVE 6600, THEN ON TRACK 236.47/10.41 TO CROSS GOOFY AT 4000, THEN ON TRACK 236.21/3.06 TO CROSS MIDDS AT 4000, THEN ON TRACK 236.21. EXPECT RADAR VECTORS FOR THE ILS OR RNAV RWY 26R, 30 APPROACHES.

LANDING KSNA: FROM DSNEE ON TRACK 235.24/4.01 TO CROSS JWARD AT 8000 AND AT 190 KIAS, THEN ON HEADING 270.00. EXPECT RADAR VECTORS FOR ILS OR RNAV RWY 20R APPROACH.

PBN REQUIREMENT NOTES:

RNAV 1 - DME/DME/IRU OR GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:

NOTE: JET AND TURBOPROP AIRCRAFT ONLY

NOTE: PROCEDURE IS ONLY FOR USE WHEN SNA IS LANDING SOUTH.

NOTE: LANDING KLGB EXPECT RUNWAY 30 UNLESS OTHERWISE ASSIGNED BY ATC.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	SIX	DSNEE.DSNEE6	FIVE	10/07/2021	05SEPT2024

NOTE: LANDING KSNA EXPECT RUNWAY 20R UNLESS OTHERWISE ASSIGNED BY ATC.

NOTE: EXPECT LOCAL AREA ALTIMETER REACHING FL230.

NOTE: FEYLA TRANSITION RESTRICTED TO AIRCRAFT DEPARTING LAS COMPLEX ONLY.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT LITNG: HOLD E, LT, 264.04 INBOUND, 10 NM LEGS.

CHART HOLDING AT MDLER: HOLD NE, RT, 218.87 INBOUND, 10 NM LEGS.

CHART HOLDING AT SCROW: HOLD NE, LT, 238.81 INBOUND, 10 NM LEGS.

CHART HOLDING AT SLI VORTAC: HOLD SE, LT, 300.00 INBOUND, 4 NM LEGS.

COMMUNICATIONS:

CHART: SOCAL APP CON

AIRPORTS SERVED:

<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
KLGB	LONG BEACH	CA
KSNA	SANTA ANA	CA

LOST COMMUNICATIONS PREFERENCES:

LANDING KLGB RUNWAY 26R/30: AFTER MIDDS PROCEED ON THE RNAV (RNP) Y RWY 30 OR ILS OR LOC RWY 30 APPROACH.

LANDING KLGB RUNWAY 12: AFTER BREKE PROCEED ON THE RNAV (RNP) RWY 12 APPROACH, IF UNABLE TO CONDUCT APPROACH, AFTER BREKE PROCEED TO SLI VORTAC AND HOLD.

LANDING KSNA: AFTER DSNEE PROCEED ON THE RNAV (RNP) Z RWY 20R APPROACH, IF UNABLE TO CONDUCT APPROACH, AFTER DSNEE MAINTAIN 6000 PROCEED TO SLI VORTAC AND HOLD.

REMARKS:

ADDITIONAL FLIGHT DATA:

DME/DME ASSESSMENT: SAT (RNP 2.0)

MAG VAR: KLGB 14E/1980

CHART AT MIDDS TERMINUS: KLGB LDG RWY 26R/30

CHART AT BREKE TERMINUS: KLGB LDG RWY 12

CHART AT JWARD TERMINUS: LDG KSNA

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	SIX	DSNEE.DSNEE6	FIVE	10/07/2021	05SEPT2024

FLIGHT INSPECTED BY:

GARY J VEER

ORGANIZATION:

FPO

DATE:

06/04/2024

Flight Inspected Signature:

*Digitally signed by***ROBERT G HAMILTON**

Jun 06, 2024

DEVELOPED BY:

Sean Rozenberg

ZLA Airspace &
Procedures Mgmt

08/29/2023

Developed By Signature:

*Digitally signed by***ROBERT G HAMILTON**

Jun 06, 2024

APPROVED BY:

BEV BORDY

AJV-A430

Approved By Signature:

*Digitally signed by***ROBERT G HAMILTON**

Jun 06, 2024

CHANGES:

1. ADDED CROSSING RESTRICTION OF AT OR ABOVE FL280 AT FOVOL.
2. CHANGED CROSSING RESTRICTION AT WTTCH FROM AT OR ABOVE FL300 TO AT OR ABOVE FL260.
3. ADDED CROSSING RESTRICTION OF AT OR ABOVE FL240 AND SPEED RESTRICTION OF AT 280 KIAS AT DRTHI.
4. REMOVED SPEED RESTRICTION OF AT 280 KIAS AT CHURO.
5. CHANGED CROSSING RESTRICTION AT CHURO FROM AT OR ABOVE FL240 TO AT OR ABOVE FL220.
6. CHANGED CROSSING RESTRICTION AT BRCKK FROM AT OR ABOVE FL210 TO AT OR ABOVE FL200.
7. CHANGED ALTITUDE RESTRICTION AT PHIYA FROM AT OR BELOW 14000 AND AT OR ABOVE 12000 TO AT 14000.
8. ADDED TOETO ON EED VORTAC, HIMDU and EMLLO EN ROUTE TRANSITIONS WITH AN ALTITUDE RESTRICTION OF AT OR BELOW 10000.
9. REMOVED DUUNN WP.
10. ADDED KCHOW ON THE NATEE AND MARUE EN ROUTE TRANSITIONS WITH AN ALTITUDE RESTRICTION OF AT OR ABOVE FL200.
11. REMOVED CARZZ WP.
12. ADDED SPEED RESTRICTION AT EROCK WP OF AT 250 KIAS.
13. MOVED GOOFY WP 5729 FT SOUTHWEST.
14. CHANGED CROSSING RESTRICTION AT MOUSS FROM AT OR ABOVE 6500 TO AT OR ABOVE 6600.
15. MOVED JWARD 5419 FT SOUTHWEST, ADDED AN ALTITUDE RESTRICTION OF AT 8000, ADDED SPEED RESTRICTION OF AT 190 KIAS AND ADDED FM LEG WITH A TRACK OF 270°.
16. CHANGED NOTE TURBOJET AND TURBOPROP AIRCRAFT ONLY TO JET AND TURBOPROP AIRCRAFT ONLY.
17. ADDED RADAR REQUIRED TO EQUIPMENT REQUIREMENT NOTES.
18. ADDED RNAV 1 AND DME/DME/IRU OR GPS REQUIRED TO PBN REQUIREMENT NOTES.
19. REMOVED ATIS FROM COMMUNICATIONS.
20. ADJUSTED ALL MEAs AND MOCAs.
21. REVISED ALL RWY TRANSITIONS AND COMMON ROUTE IN ARRIVAL DESCRIPTION.
22. REMOVED AIRPORT NAMES FROM AIRPORTS SERVED.
23. ADDED THE K IDENT TO ARPT 3 LETTER IDENT WHERE USED ON THE FORM.
24. CHANGED NOTE: FROM, FEYLA TRANSITION RESTRICTED TO LAS DEPARTURES ONLY TO, FEYLA TRANSITION RESTRICTED TO AIRCRAFT DEPARTING LAS COMPLEX ONLY.
25. REMOVED NOTE: LRSON TRANSITION ATC ASSIGNED ONLY.
26. REVISED ALL LOST COMMUNICATIONS PREFERENCES.
27. REMOVED RECOMMENDED NAVAIDS.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	SIX	DSNEE.DSNEE6	FIVE	10/07/2021	05SEPT2024


REASONS:

- 1-14. ATC AND INDUSTRY REQUEST FOR DESCENT GRADIENT CRITERIA.
- 15. IAW FAAO 8260.19I 4-5-2 j., 8260.3 2-2-2 b., & 8260.3 2-2-7 f.
- 16. DOCUMENTED TO CURRENT STANDARDS IAW 8260.19J para. 4-5-12d(4).
- 17-19. IAW 8260.19I DOCUMENTATION STANDARDS.
- 20. IAW FAAO 8260.3E 2-2-7 d.(3) DESCENDING MOCAS AND MEAS AND NEW TERRAIN/OBSTACLE EVALUATION.
- 21. ATC REQUEST TO CORRECT DESCENT GRADIENT ERRORS AND RUNWAY TERMINUS CRITERIA.
- 22. AIRPORT ICAO ID IS REQUIRED IN PLACE OF NAME IAW 8260.19I PARA 4-15-12g.
- 23. CURRENT STANDARDS.
- 24-25. ATC REQUEST.
- 26. UPDATED LANGUAGE TO CURRENT STANDARDS AND USED OFFICIAL PROCEDURE TITLES.
- 27. NO LONGER REQUIRED.

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

Arrival Name	Number	STAR Computer Code	Superseded Number	Dated	Effective Date
DSNEE (RNAV)	SIX	DSNEE.DSNEE6	FIVE	10/07/2021	05SEPT2024
Graphic Depiction 1					



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)	Number SIX	STAR Computer Code DSNEE.DSNEE6		Superseded Number FIVE		Dated 10/07/2021	Effective Date 05SEPT2024		
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
EED VORTAC	344557.62N / 1142826.78W	Y		IF					EED.DSNEE6
ONLYY	342725.33N / 1145722.47W	Y	FB	TF	232.36	30.21			
FOVOL	340312.00N / 1153437.00W	Y	FB	TF	232.10	39.21	AT/ABOVE FL280		
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	260.54	31.67	AT/ABOVE FL240	AT 280K	
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL220		
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL200		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	AT 14000		
TOETO	335036.72N / 1171324.73W	Y	FB	TF	262.47	12.20	AT/BELOW 10000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.33	11.28	AT 8000	AT 220K	
En Route Transition									
EMLLD	334528.80N / 1140846.00W	Y		IF					EMLLD.DSNEE6
LITNG	335045.32N / 1145443.84W	Y	FB	TF	278.04	38.66			
WTTCH	335533.39N / 1153848.40W	Y	FB	TF	277.65	37.01	AT/ABOVE FL260		
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	274.95	27.86	AT/ABOVE FL240	AT 280K	
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL220		
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL200		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	AT 14000		
TOETO	335036.72N / 1171324.73W	Y	FB	TF	262.47	12.20	AT/BELOW 10000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.33	11.28	AT 8000	AT 220K	
En Route Transition									
FEYLA	351336.52N / 1155404.77W	Y		IF					FEYLA.DSNEE6
LRSON	345259.88N / 1161958.65W	Y	FB	TF	226.06	29.59	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
KCHOW	343014.57N / 1164645.79W	Y	FB	TF	221.87	15.20	AT/ABOVE FL200		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	221.75	18.91	AT 14000		

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name DSNEE (RNAV)		Number SIX		STAR Computer Code DSNEE.DSNEE6		Superseded Number FIVE		Dated 10/07/2021	Effective Date 05SEPT2024
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000	AT 250K	
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
En Route Transition									
HIMDU	342406.00N / 1140051.00W	Y		IF					HIMDU.DSNEE6
WEELL	342014.60N / 1141829.50W	Y	FB	TF	255.31	15.10			
WURMO	341513.00N / 1144126.00W	Y	FB	TF	255.32	19.66			
THERS	341135.14N / 1145717.65W	Y	FB	TF	254.67	13.64			
FOVOL	340312.00N / 1153437.00W	Y	FB	TF	255.06	32.10	AT/ABOVE FL280		
DRTHI	335753.23N / 1161210.83W	Y	FB	TF	260.54	31.67	AT/ABOVE FL240	AT 280K	
CHURO	335656.38N / 1161949.39W	Y	FB	TF	261.57	06.43	AT/ABOVE FL220		
BRCKK	335520.87N / 1163240.97W	Y	FB	TF	261.61	10.82	AT/ABOVE FL200		
ROADE	335342.15N / 1164525.03W	Y	FB	TF	261.25	10.73	17000BFL190		
PHIYA	335213.73N / 1165853.48W	Y	FB	TF	262.59	11.31	AT 14000		
TOETO	335036.72N / 1171324.73W	Y	FB	TF	262.47	12.20	AT/BELOW 10000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	262.33	11.28	AT 8000	AT 220K	
En Route Transition									
LRSON	345259.88N / 1161958.65W	Y		IF			AT/ABOVE FL280		LRSON.DSNEE6
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
KCHOW	343014.57N / 1164645.79W	Y	FB	TF	221.87	15.20	AT/ABOVE FL200		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	221.75	18.91	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000	AT 250K	
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)

Arrival Name DSNEE (RNAV)		Number SIX		STAR Computer Code DSNEE.DSNEE6		Superseded Number FIVE		Dated 10/07/2021	Effective Date 05SEPT2024
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
En Route Transition									
MARUE	351523.00N / 1145255.00W	Y		IF					MARUE.DSNEE6
SCROW	350811.11N / 1152101.56W	Y	FB	TF	252.81	24.13			
FJAYY	350140.02N / 1154611.86W	Y	FB	TF	252.64	21.66			
LRSON	345259.88N / 1161958.65W	Y	FB	TF	252.85	29.08	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
KCHOW	343014.57N / 1164645.79W	Y	FB	TF	221.87	15.20	AT/ABOVE FL200		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	221.75	18.91	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000	AT 250K	
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
En Route Transition									
NATEE	353714.00N / 1152226.00W	Y		IF					NATEE.DSNEE6
FEYLA	351336.52N / 1155404.77W	Y	FB	TF	227.79	35.00			
LRSON	345259.88N / 1161958.65W	Y	FB	TF	226.06	29.59	AT/ABOVE FL280		
GITRR	344135.50N / 1163429.32W	Y	FB	TF	226.45	16.51	AT/ABOVE FL250	AT 280K	
KCHOW	343014.57N / 1164645.79W	Y	FB	TF	221.87	15.20	AT/ABOVE FL200		
AASPN	341605.53N / 1170157.56W	Y	FB	TF	221.75	18.91	AT 14000		
KADYN	341018.69N / 1170608.00W	Y	FB	TF	210.98	06.73	AT/BELOW 13000		
EROCK	335948.10N / 1171145.83W	Y	FB	TF	204.05	11.49	AT/ABOVE 12000	AT 250K	
LUQAS	335604.25N / 1171658.39W	Y	FB	TF	229.34	05.71	AT/BELOW 11000		
DSNEE	334905.48N / 1172650.06W	Y	FB	TF	229.73	10.77	AT 8000	AT 220K	
Common Route									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	DSNEE.DSNEE6
JWARD	334739.97N / 1173120.02W	Y	FO	TF	249.24	04.01	AT 8000	AT 190K	
KSNA				VM	284.00				

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STAR (DATA RECORD)**

Arrival Name DSNEE (RNAV)	Number SIX	STAR Computer Code DSNEE.DSNEE6		Superseded Number FIVE		Dated 10/07/2021		Effective Date 05SEPT2024	
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
Runway Transition									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	
MCKYE	334549.59N / 1173731.98W	Y	FB	TF	249.97	09.49	AT/ABOVE 7200		
MOUSS	334459.22N / 1174020.47W	Y	FB	TF	250.32	02.49	AT/ABOVE 6600		
GOOFY	334129.52N / 1175205.99W	Y	FB	TF	250.47	10.41	AT 4000		
PIBBB	334028.61N / 1175533.38W	Y	FB	TF	250.66	03.06	AT 4000		
LUVCI	334030.41N / 1180303.68W	Y	FB	TF	270.31	06.26			
QGATE	334231.68N / 1181322.02W	Y	FB	TF	283.25	08.83	AT/ABOVE 3000		
BREKE	334546.07N / 1181422.11W	Y	FB	TF	345.52	03.34	AT 3000		
KLGB:RWY 12									
Runway Transition									
DSNEE	334905.48N / 1172650.06W	Y		IF			AT 8000	AT 220K	
MCKYE	334549.59N / 1173731.98W	Y	FB	TF	249.97	09.49	AT/ABOVE 7200		
MOUSS	334459.22N / 1174020.47W	Y	FB	TF	250.32	02.49	AT/ABOVE 6600		
GOOFY	334129.52N / 1175205.99W	Y	FB	TF	250.47	10.41	AT 4000		
MIDDS	334027.26N / 1175532.80W	Y	FO	TF	250.21	03.06	AT 4000		
KLGB:RWY 26R,RWY 30				FM	250.21				