

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
MYZNR	ONE	MYZNR1.MYZNR	NONE		<i>12 AUG 2021</i>

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

This is a corrected copy of the procedure published in NFDD 105.  
\*\* See page 3 for details. \*\*

**DP ROUTE DESCRIPTION:**

BOCA RATON:

TAKEOFF RWY 5: CLIMB HEADING 049.35 TO 520, THEN ON HEADING 049.35 OR AS ASSIGNED BY ATC, FOR VECTORS TO CROSS JAVAA AT OR ABOVE 8000, THENCE ...

TAKEOFF RWY 23: CLIMB HEADING 229.34 TO 520, THEN ON HEADING 320.00 OR AS ASSIGNED BY ATC, FOR VECTORS TO CROSS JAVAA AT OR ABOVE 8000, THENCE ...

....THENCE ON TRACK 296.75 TO CROSS CONAS AT OR BELOW 10000, THEN ON TRACK 296.16 TO CROSS MYZNR AT OR ABOVE 10000.

MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
CHEFS	MYZNR1.CHEFS	MYZNR	FERAC	344.16	11.00	10000	1300	AT/ABOVE 13000
		FERAC	CHEFS	347.27	35.43	12000	1600	
MATLK	MYZNR1.MATLK	MYZNR	FERAC	344.16	11.00	10000	1300	AT/ABOVE 13000
		FERAC	CHEFS	347.27	35.43	12000	1600	
		CHEFS	MATLK	344.64	29.11	14000	1600	
WELLY	MYZNR1.WELLY	MYZNR	SLAAM	270.10	6.09	10000	1500	AT/ABOVE 10000
		SLAAM	WELLY	270.65	10.01	12000	1500	

**PROCEDURAL DATA NOTES:**

NOTE: DME/DME/IRU OR GPS REQUIRED

NOTE: RADAR REQUIRED

NOTE: RNAV 1

NOTE: JETS ONLY

NOTE: CHEFS TRANSITION, FOR USE BY MCO OR DAB AREA ARRIVALS, OR AS ASSIGNED BY ATC.



<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
MYZNR	ONE	MYZNR1.MYZNR	NONE		<i>12 AUG 2021</i>

**TAKEOFF MINIMUMS:**

RWY 5: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 520

RWY 23: STANDARD WITH MINIMUM CLIMB OF 500 T FT PER NM TO 520

**TAKEOFF OBSTACLES NOTES:**

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

**CONTROLLING OBSTACLES:**

RWY 23: 171 FT BLDG 262144.15N/0800738.48W

**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

REFERENCE MAG/VAR: BCT 05W EPOCH YEAR 2000

CHART: TOP ALTITUDE: MATLK AND CHEFS TRANSITIONS: 13000; WELLY TRANSITION: 10000

DME/DME ASSESSMENT: SAT RNP 2.0

CHART: MINIMUM CROSSING ALTITUDE AT JAVA - AT OR ABOVE 8000

**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>AIRPORT ID</u>	<u>CITY</u>	<u>STATE</u>
BOCA RATON	KBCT	BOCA RATON	FL

**COMMUNICATIONS:**

ATIS, AWOS, CLEARANCE DELIVERY, GROUND, TOWER, DEPARTURE CONTROL

**FIXES AND/OR NAVAIDS:**

CHART JAYMC, TIRCO

**REMARKS:****FLIGHT INSPECTED BY**

JEFFREY ECKMAN

*Digitally signed by***JOHN BORDY**

Jun 22, 2021

**OFFICE**

FICO

**DATE**

05/25/2021

**DEVELOPED BY**

WILLIAM D. MELTON

*Digitally signed by***JOHN BORDY**

Jun 22, 2021

**OFFICE**

AJV-A422

**DATE**

03/03/2021

**APPROVED BY**

MARLON ROBINSON

*Digitally signed by***JOHN BORDY**

Jun 22, 2021

**OFFICE**

AJV-A420

**DATE****TITLE**

MANAGER

**REQUIRED EFFECTIVE DATE**

ROUTINE

QUALITY  
48  
CHECKED

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
MYZNR	ONE	MYZNR1.MYZNR	NONE		<i>12 AUG 2021</i>

**COORDINATED WITH:**

**A4A** ☐ **ALPA** ☒ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** ZMA, PBI APP CON, BCT ATCT

**CHANGES - REASONS:**  
ORIGINAL PROCEDURE

THIS IS AN UPDATED COPY OF THE FORM DEVELOPED ON 03/03/2021:

CHANGED TAKEOFF MINIMUMS FOR RWY 5/23 FROM STANDARD WITH MINIMUM CLIMB OF 520 FT PER NM TO 500 TO: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 520 - NUMBERS TRANSPOSED.

ADDED TO ADDITIONAL FLIGHT DATA: : CHART: MINIMUM CROSSING ALTITUDE AT JAVA A - AT OR ABOVE 8000 - PER 8260.46G

06/15/21: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 05/26/21.

1. CHANGED DP ROUTE DESCRIPTION FROM MAINTAIN 2000, EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE TO MAINTAIN ATC ASSIGNED ALTITUDE, EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
DEPARTURE (DATA RECORD)**

DP NAME				NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED		ACTUAL EFFECTIVE DATE	
MYZNR				ONE		MYZNR1.MYZNR		NONE				12 AUG 2021	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS				
RW05 (AER)*	262225.25N/0800646.48W*	N	-	-	-	-			*DISPL THLD (696.0 FT)				
520 MSL			-	VA	044.35	-	AT/ABOVE 520		CG 500 FT/NM TO 520				
			-	VM	044.35	-							
JAVAA	263437.85N/0801918.77W	Y	-	IF	-	-	AT/ABOVE 8000						
CONAS	263632.16N/0802437.76W	Y	FB	TF	291.75	05.13	AT/BELOW 10000						
MYZNR	263806.61N/0802909.44W	Y	FB	TF	291.16	04.35	AT/ABOVE 10000						
RW23 (AER)*	262302.09N/0800606.50W*	N	-	-	-	-			*DISPL THLD (378.0 FT)				
520 MSL			-	VA	224.34	-	AT/ABOVE 520		CG 500 FT/NM TO 520				
			-	VM	315.00	-							
JAVAA	263437.85N/0801918.77W	Y	-	IF	-	-	AT/ABOVE 8000						
CONAS	263632.16N/0802437.76W	Y	FB	TF	291.75	05.13	AT/BELOW 10000						
MYZNR	263806.16N/0802909.44W	Y	FB	TF	291.16	04.35	AT/ABOVE 10000						
MYZNR	263806.61N/0802909.44W	Y	-	IF	-	-	AT/ABOVE 10000		MYZNR1.CHEFS				
FERAC	264825.17N/0803331.81W	Y	FB	TF	339.16	11.00	AT/ABOVE 13000						
CHEFS	272214.97N/0804538.96W	Y	FB	TF	342.27	35.43							
MYZNR	263806.61N/0802909.44W	Y	-	IF	-	-	AT/ABOVE 10000		MYNZR1.MATLK				
FERAC	264825.17N/0803331.81W	Y	FB	TF	339.16	11.00	AT/ABOVE 13000						
CHEFS	272214.97N/0804538.96W	Y	FB	TF	342.27	35.43							
MATLK	274936.54N/0805704.27W	Y	FB	TF	339.64	29.11							

QUALITY  
5  
CHECKED

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
MYZNR		ONE		MYZNR1.MYZNR		NONE			<i>12 AUG 2021</i>
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
MYZNR	263806.61N/0802909.44W	Y	-	IF	-	-	AT/ABOVE 10000		MYZNR1.WELLY
SLAAM	263735.14N/0803555.77W	Y	FB	TF	265.10	06.09	AT/ABOVE 10000		
WELLY	263648.98N/0804703.93W	Y	FB	TF	265.65	10.01			

QUALITY  
5  
CHECKED