

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE				
COBIM (IF)	ZUMMI (FB)	314.59 / 6.10	2000	LNAV: RW31			
				CLIMB TO 2000 DIRECT HEVOT AND HOLD.			
				ADDITIONAL FLIGHT DATA: HOLD NW, RT, 134.51 INBOUND. CHART FAS OBST: 169 TREE 303112N/0902409W CHART APT ELEVATION 47. CHART VDP AT 1.05 MILES TO RW31. ZUMMI TO RW31: 3.05/50.			

1. PT <u>NA</u> SIDE OF COURSE		OUTBOUND		FT WITHIN		MILES OF		(IAF)	
2. PROFILE STARTS AT COBIM									
3. FAC: <u>314.55</u>		FAF: <u>ZUMMI</u>		DIST FAF TO MAP: <u>5.90</u>		THLD: <u>5.90</u>			
4. MIN. ALT: <u>COBIM 2000, ZUMMI 2000, JEGEM/1.60 NM TO RW31 580</u>									
5. DIST TO THLD FROM OM:		MM:		IM:		150 HAT:		100 HAT:	
6. MIN GS INCPT:		GS ALT AT:		OM:		MM:		IM:	
7. GS ANGLE:		TCH: <u>34:1 IS NOT CLEAR</u>							
8. MSA FROM: <u>RW31 2100</u>									

MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: <u>NA</u>				STANDARD @				
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	460	1	417	460	1	417	460	1 1/4	417	460	1 1/4	417			
CIRCLING	500	1	453	500	1	453	500	1 1/2	453	620	2	573			

NOTES:

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART PLANVIEW NOTE: RADAR REQUIRED

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

SEE 8260-10

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE	ELEVATION: 47 TDZE: 43	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
HAMMOND, LA	AIRPORT NAME:		RNAV (GPS) RWY 31, AMDT 1, 07/29/2010	AMDT: ORIG
	HAMMOND NORTHSORE RGNL		29 JUL 2010	DATED 06/08/2006

QUALITY
5
CHECKED

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LOUIS ARMSTRONG NEW ORLEANS INTL ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET, AND INCREASE LNAV CAT C AND CIRCLING CAT D VISIBILITY 1/4 MILE AND LNAV CAT D VISIBILITY 1/2 MILE.

CHART NOTE: VDP NA WITH LOUIS ARMSTRONG NEW ORLEANS INTL ALTIMETER SETTING.



CITY AND STATE

HAMMOND, LA

ELEVATION: 47 TDZE: 43

AIRPORT NAME:

HAMMOND NORTHSORE RGNL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

RNAV (GPS) RWY 31, AMDT 1, 07/29/2010

29 JUL 2010

SUP:

AMDT: ORIG

DATED: 06/08/2006

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KHDCK4FR31	R	010COBIMK4EA0E	I	IF				+ 02000	18000			B JS	
SUSAP KHDCK4FR31	R	020ZUMMIK4EA1E	F	051TF			31460061	+ 02000			RW31	K4PGB	JS
SUSAP KHDCK4FR31	R	020ZUMMIK4EA2WN			N	ALNAV							JS
SUSAP KHDCK4FR31	R	021JEGEMK4EA0E	S	031TF			31460043	V	0058000603	-305		B JS	
SUSAP KHDCK4FR31	R	030RW31 K4PG0GY	M	031TF			31460016		00091	-305		B JS	
SUSAP KHDCK4FR31	R	040	0	M	010CA		3146	+ 00447				B JS	
SUSAP KHDCK4FR31	R	050HEVOTK4EA0EY		010DF				+ 02000				B JS	
SUSAP KHDCK4FR31	R	060HEVOTK4EA0EE		R020HM			13450040	+ 02000				B JS	

[illegible][illegible]

CITY AND STATE HAMMOND, LA	ELEVATION: 47 TDZE: 43 AIRPORT NAME: HAMMOND NORTHSORE RGNL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 31, AMDT 1, 07/29/2010 29 JUL 2010	SUP: CKED
				AMDT: ORIG
				DATED: 06/08/2006