

**Federal Aviation  
Administration**

**Transmittal Letter 20-07**

**February 7, 2020**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
3/26/2020	TX	Odessa	Odessa- Schlemeyer Field	9/1859	1/16/2020	RNAV (GPS) RWY 20, Orig

**AIRAC Date: 26 MARCH 2020**

FDC 9/1859 ODO IAP ODESSA-SCHLEMEYER FIELD, ODESSA, TX. RNAV (GPS) RWY 20, ORIG... LNAV CAT C VISIBILITY 1 3/8 SM. CIRCLING CAT D MDA 3600/HAA 596. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: RWY 20 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE MIDLAND INTL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND INCREASE LNAV CATS C AND D VISIBILITY 1/4 MILE. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE MIDLAND INTL AIR AND SPACE PORT ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET. THIS IS RNAV (GPS) RWY 20, ORIG-A. 1912311318-PERM