

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW20 CLIMBING RIGHT TURN TO 5100 DIRECT PIZON AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 108.31 INBOUND. FAS OBST: 3209 AAO 315827N/1022043W FERTH TO RW20: 3.05/38.
PIZON (IAF)	NOING (FB)	108.31 / 10.59	5100	
MERGE (IAF)	NOING (FB)	201.33 / 13.38	5100	
NOING (IF)	FERTH (FB)	201.73 / 6.07	4700	

1. PT NA SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)
2. PROFILE STARTS AT NOING
3. FAC: 201.70 FAF: FERTH DIST FAF TO MAP: 5.13 THLD: 5.13
4. MIN. ALT: NOING 5100, FERTH 4700
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR
8. MSA FROM: RW20 5500

MAG VAR: 8E EPOCH YEAR: 2000

MINIMUMS

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A	FOR THIS AIRPORT	ALTERNATE: N/A		STANDARD @								
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	3460	1	456	3460	1	456	3460	1 1/4	456	3460	1 1/2	456				
CIRCLING	3460	1	456	3460	1	456	3460	1 1/2	456	3560	2	556				

NOTES:
CHART NOTE: CIRCLING NA S OF RWYS 2 AND 34.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE MIDLAND INTL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET AND INCREASE LNAV CATS C AND D VISIBILITY 1/4 MILE.
SEE 8260-10

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

QUALITY
&
CHECKED

CITY AND STATE ODESSA, TX	ELEVATION: 3004 TDZE: 3004 AIRPORT NAME: ODESSA-SCHLEMEYER FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 20, ORIG 29 JUL 2010	SUP: AMDT: NONE DATED
-------------------------------------	---	-------------------------------------	--	------------------------------------

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MERGE ON V81 NORTHBOUND AND AT PIZON ON V68 NORTHWEST BOUND.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

QUALITY
4
CHECKED

CITY AND STATE
ODESSA, TX

ELEVATION: 3004 TDZE: 3004
AIRPORT NAME:
ODESSA-SCHLEMEYER FIELD

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 20, ORIG
29 JUL 2010

SUP:
AMDT: NONE
DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KODOK4FR20	AMERGE	010MERGEK4EA0E	A	IF						18000		B JS	
SUSAP KODOK4FR20	AMERGE	020NOINGK4EA0EE	B	010TF			20130134	+	05100			B JS	
SUSAP KODOK4FR20	APIZON	010PIZONK4EA0E	A	IF						18000		B JS	
SUSAP KODOK4FR20	APIZON	020NOINGK4EA0EE	B	010TF			10830106	+	05100			B JS	
SUSAP KODOK4FR20	R	010NOINGK4EA0E	I	IF				+	05100	18000		B JS	
SUSAP KODOK4FR20	R	020FERTHK4EA1E	F	051TF			20170061	+	04700		RW20	K4PGB JS	
SUSAP KODOK4FR20	R	020FERTHK4EA2WN			N	ALNAV						JS	
SUSAP KODOK4FR20	R	030RW20 K4PG0GY	M	031TF			20170051		03042		-305	B JS	
SUSAP KODOK4FR20	R	040		0 M 010CA			2017	+	03404			B JS	
SUSAP KODOK4FR20	R	050PIZONK4EA0EY	R010DF					+	05100			B JS	
SUSAP KODOK4FR20	R	060PIZONK4EA0EE	R020HM				10830050	+	05100			B JS	

[illegible][illegible]

QUALITY
4
CHECKED

CITY AND STATE ODESSA, TX	ELEVATION: 3004 TDZE: 3004 AIRPORT NAME: ODESSA-SCHLEMEYER FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 20, ORIG 29 JUL 2010	SUP:
				AMDT: NONE
				DATED: