

**WICHITA DWIGHT D EISENHOWER NATIONAL** (ICT)(KICT) 5 SW UTC-6(-5DT) N37°39.00'

**WICHITA**  
H-5C, L-101, 15D  
IAP, AD

W97°25.98'

1333 B LRA Class I, ARFF Index C NOTAM FILE ICT

**RWY 01L-19R:** H10301X150 (CONC-GRVD) S-100, D-210, 2S-175,  
2D-300 PCN 72 R/B/W/T HIRL CL

**RWY 01L:** ALSF2. TDZL. RVR-TMR

**RWY 19R:** MALSR. RVR-TMR Rgt tfc.

**RWY 01R-19L:** H7301X150 (CONC-GRVD) S-125, D-240, 2D-400  
PCN 66 R/B/W/T HIRL

**RWY 01R:** MALSR. RVR-TR Rgt tfc.

**RWY 19L:** MALSR. PAPI(P4L)—GA 3.0° TCH 55'. RVR-TR

**RWY 14-32:** H6301X150 (CONC-GRVD) S-100, D-190, 2S-175,  
2D-280 PCN 72 R/B/W/T HIRL

**RWY 14:** REIL. PAPI(P4L)—GA 3.0° TCH 50'.

**RWY 32:** REIL. PAPI(P4L)—GA 3.0° TCH 53'.

**RUNWAY DECLARED DISTANCE INFORMATION**

**RWY 01L:**TORA-10301 TODA-10301 ASDA-10301 LDA-10301

**RWY 01R:**TORA-7301 TODA-7301 ASDA-7301 LDA-7301

**RWY 14:** TORA-6301 TODA-6301 ASDA-6301 LDA-6301

**RWY 19L:**TORA-7301 TODA-7301 ASDA-7301 LDA-7301

**RWY 19R:**TORA-10301 TODA-10301 ASDA-10301 LDA-10301

**RWY 32:** TORA-6301 TODA-6301 ASDA-6301 LDA-6301

**SERVICE:** S4 FUEL 100LL, JET A OX 1, 2, 3, 4

**AIRPORT REMARKS:** Attended continuously. PPR required for acft carrying Class 1—Division 1.1, 1.2 or 1.3 explosives as defined by 49 CFR 173.50 or as amended. ATCT has limited visibility of terminal gates 1-8. Aircraft engine runs above idle not approved on aircraft parking ramps. Migratory birds on and in/ovf arpt. Twys F, G, H, J, P and all parking ramps are non-movement areas. Twy H clsd to acft with wingspan more than 75'. Twy H congested and not visible from ATCT; use caution. Twy L and L1 clsd to acft with wingspan more than 118'. Twy P clsd to acft with wingspan more than 79'. Call for pushback not required. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices—Continuous Power Facilities.

**AIRPORT MANAGER:** 316-946-4700

**WEATHER DATA SOURCES:** ASOS (316) 945-8022 HIWAS 113.8 ICT. TDWR.

**COMMUNICATIONS:** ATIS 125.15 316-350-1528 UNICOM 122.95

RCO 122.2 (WICHITA RADIO)

Ⓡ APP CON 125.5 134.85 (010°-190°) 126.7 (191°-009°) 125.5 (270°-009° blo 5000' and byd 20 NM).

Ⓡ APP/DEP CON 134.85 (010°-190°) 126.7 (191°-009°)

TOWER 118.2 GND CON 121.9 CLNC DEL 125.7

**AIRSPACE:** CLASS C svc ctc APP CON.

**VOR TEST FACILITY (VOT)** 114.0

**RADIO AIDS TO NAVIGATION:** NOTAM FILE ICT.

(H) VORTACW 113.8 ICT Chan 85 N37°44.72' W97°35.03' 121° 9.2 NM to fld. 1471/7E. HIWAS.

TACAN AZIMUTH unusable:

040°-055° byd 20 NM

147°-159° blo 4,900'

VOR unusable:

147°-159° blo 4,400'

PICHE NDB (HW/LOM) 332 IC N37°34.69' W97°27.35' 010° 4.4 NM to fld. 1315/4E.


ILS 109.1 I-TWI Rwy 01L. Class IIE.

ILS/DME 110.3 I-ICT Chan 40 Rwy 01R. Class IA. LOM PICHE NDB. DME unusable byd 32 degrees left of centerline.

ILS/DME 111.55 I-MVP Chan 52(Y) Rwy 19L. Class IE.

ILS 110.5 I-HOV Rwy 19R. Class IE.

**COMM/NAV/WEATHER REMARKS:** Emerg frequency 121.5 not avbl at FSS.



**WILCOX FLD** (See ANTHONY on page 83)