

APP CRS 135°	Rwy Idg 9120
	TDZE 18
	Apt Elev 22

RNAV (RNP) Z RWY 14R



BOEING FIELD/KING COUNTY INTL (BFI)

▼ GPS and RF required. Inop table does not apply to RNP 0.30 DA.
▲ For inop MALSF, increase RNP 0.15 DA Cat D visibility to 1¼ mile.
 For uncompensated Baro-VNAV systems, procedure NA below -6°C (22°F) or above 54°C (130°F).



MISSED APPROACH: Climb on track 135° to cross OCEZE at or below 1500 then climb to 6400 on track 123° to BLAKO and hold, continue climb-in-hold to 6400.

ATIS 127.75	SEATTLE APP CON 119.2 284.7	BOEING TOWER 120.6 257.8	GND CON 121.9	CLNC DEL 132.4
-----------------------	---------------------------------------	------------------------------------	-------------------------	--------------------------



JAMRO	COMMB	ORABE	OCEZE	BLAKO	
2100	1700	1024	1500	6400	
\swarrow 105°		\swarrow 135°			
2.4 NM		2.1 NM		3 NM	
GP 3.00°	TCH 50	tr 135°			
CATEGORY		A	B	C	D
RNP 0.15 DA		542-1½ 524 (600-1½)			
RNP 0.30 DA		742-2½ 724 (800-2½)			
AUTHORIZATION REQUIRED					

NW-1, 15 AUG 2019 to 12 SEP 2019

NW-1, 15 AUG 2019 to 12 SEP 2019