


LOC/DME I-ROF 111.15 Chan 48 (Y)	APP CRS 328°	Rwy Idg TDZE Apt Elev	5503 705 712
---	------------------------	-----------------------------	---

LOC RWY 33


AURORA MUNI (A.R.R.)

ATIS 125.85	CHICAGO APP CON 133.5 349.0	AURORA TOWER* 120.6 (CTAF) 0	GND CON 121.7	CLNC DEL 121.7 (When tower closed)	UNICOM 122.95 123.5
------------------------------	--	---	--------------------------------	--	--------------------------------------



Procedure NA for arrival on JOT VOR/DME airway radials 314 CW 328.

ELEV 712	TDZE 705
----------	----------



1400	3000	JOT R-347	VAINS	RIESR INT I-ROF (5.9)	BOBBB INT I-ROF (11.9)
hdg 146°					
I-ROF (1.1)	I-ROF (2.1)	EPABE INT I-ROF (2.9)	2300	328°	2600
1 NM	0.8 NM	3 NM	6 NM		
CATEGORY	A	B	C	D	
S-LOC 33	1320-1/2	615 (700-1/2)	1320-1 3/8	615 (700-1 3/8)	
C CIRCLING	1320-1	608 (700-1)	1320-1 3/4	608 (700-1 3/4)	
EPABE FIX MINIMUMS (DUAL VOR RECEIVERS or DME REQUIRED)					
S-LOC 33	1080-1/2	375 (400-1/2)	1080-5/8	375 (400-5/8)	
C CIRCLING	1200-1	488 (500-1)	1200-1 1/2	488 (500-1 1/2)	
				1320-2 608 (700-2)	

EC-3, 12 SEP 2019 to 10 OCT 2019

EC-3, 12 SEP 2019 to 10 OCT 2019