


POTTER ONE DEPARTURE

TED STEVENS ANCHORAGE INTL (ANC) (PANC)
AL-1500 (FAA) ANCHORAGE, ALASKA

D-ATIS
135.5
CLNC DEL
119.4 323.1
GND CON
121.9 338.25
ANCHORAGE TOWER
118.3 257.8
ANCHORAGE DEP CON
126.4 270.25

**TOP ALTITUDE:
4000**



TAKEOFF MINIMUMS

Rwy 7L: 300-1½ or standard with minimum climb of 255 feet per NM to 400.

Rwy 7R: 300-1 or standard with minimum climb of 285 feet per NM to 400.

NOTE: RADAR required.

NOTE: Maximum procedure airspeed limited to 200K.

NOTE: Chart not to scale.

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 7L/R: Climb heading 074° to 600, then climbing right turn on heading 199°. Thence . . .
. . . expect RADAR vectors to assigned route or depicted fix. Maintain 4000.
Expect further clearance to filed altitude within 10 minutes after departure.

AK, 21 MAY 2020 to 16 JUL 2020

AK, 21 MAY 2020 to 16 JUL 2020

POTTER ONE DEPARTURE

ANCHORAGE, ALASKA
TED STEVENS ANCHORAGE INTL (ANC) (PANC)