

# TEXOMA NINE DEPARTURE

ATIS 120.7  
 CLNC DEL  
 124.65  
 GND CON 121.9  
 MEACHAM TOWER  
 118.3 257.8  
 REGIONAL DEP CON  
 118.1 306.95 (NORTH)  
 135.975 379.9 (SOUTH)

TULSA  
 114.4 TUL :--:  
 Chan 91  
 N36°11.78'  
 W95°47.29'  
 L-15, H-6

OKMULGEE  
 114.9 OKM :--:  
 Chan 96  
 N35°41.58'  
 W95°51.96'  
 L-15, H-6

WILL ROGERS  
 114.1 IRW :--:  
 Chan 88  
 N35°21.52'  
 W97°36.55'  
 L-15, H-6

ADA  
 117.8 ADH :--:  
 Chan 125

DECKK  
 N34°52.37'  
 W97°16.87'  
 L-17, H-6

ROLLS  
 N35°43.36'  
 W99°28.24'  
 L-15, H-6

MRMAC  
 N34°50.48'  
 W98°06.57'

NOOGO  
 N34°25.65'  
 W96°59.06'

ZEMMA  
 N34°23.03'  
 W96°59.40'  
 L-17, H-6

EAKER  
 N34°19.05'  
 W96°37.19'  
 L-17, H-6

ARDMORE  
 116.7 ADM :--:  
 Chan 114  
 N34°12.70'-W97°10.09'  
 L-17, H-6

BLECO  
 N33°27.05'  
 W97°06.54'  
 L-17

GRABE  
 N33°27.09'  
 W96°57.69'  
 L-17

LOWGN  
 N33°27.05'  
 W97°14.99'

BONHAM  
 114.6 BYP :--:  
 Chan 93

RANGER  
 115.7 FUZ :--:  
 Chan 104  
 N32°53.37'-W97°10.77'

NOTE: RADAR and DME required.

### TAKEOFF MINIMUMS

Rwys 16, 17: Standard.

Rwy 34: 300-2 or standard with minimum climb of 220' per NM to 1100, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1800' prior to DER.

Rwy 35: 300-1½ or standard with minimum climb of 205' per NM to 900, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1200' prior to DER.

(NARRATIVE ON FOLLOWING PAGE)

(NOTES CONTINUED ON FOLLOWING PAGE)

NOTE: Chart not to scale

# TEXOMA NINE DEPARTURE

SC-2, 25 MAR 2021 to 22 APR 2021

SC-2, 25 MAR 2021 to 22 APR 2021