

RNAV (RNP) Z RWY 3




IDAHO FALLS RGNL (IDA)

APP CRS	Rwy Idg	9002
026°	TDZE	4744
	Apt Elev	4744

RNP AR APCH-GPS.	
	For uncompensated Baro-VNAV systems, procedure NA below -27°C or above 54°C.

MISSED APPROACH: Climb to 7500 on track 026° to TOCYU, left turn to UFGOD, and on track 253° to TERRE and hold.


ATIS	SALT LAKE CENTER	IDAHO FALLS TOWER *	GND CON	CLNC DEL	GCO	UNICOM
135.325	128.35 239.25	118.5 (CTAF) 0 257.8	121.7	121.7	121.725	122.95



ELEV 4744	D	TDZE 4744
-----------	----------	-----------

UGADE	7500	TOCYU	UFGOD	TERRE
6500	↑ tr 026°			tr 253°

See planview for multiple IF locations.



CATEGORY	A	B	C	D
RNP 0.11 DA	5050-7/8 306 (400-7/8)			
RNP 0.30 DA	5146-1/8 402 (500-1/8)			

AUTHORIZATION REQUIRED

- REIL Rwy 3
- HIRL Rwy 3-21
- MIRL Rwy 17-35

NW-1, 17 APR 2025 to 15 MAY 2025

NW-1, 17 APR 2025 to 15 MAY 2025