

VORTAC LSU	APP CRS	Rwy Idg	7500
116.5	066°	TDZE	69
Chan 112		Apt Elev	70


VOR RWY 4L

BATON ROUGE METRO, RYAN FLD (BTR)


⚠ Helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Hammond altimeter setting and increase all MDA 100 feet, increase S-4L Cat A and Circling Cat A and Cat C visibility ¼ mile and Circling Cat D visibility ½ mile, PAYIN Fix Minimums: increase S-4L Cats C/D and Circling Cats C/D visibility ¼ mile. VDP NA when using Hammond altimeter setting.

MISSED APPROACH: Climb to 2500 on LSU VORTAC R-060 to AROLL INT/LSU 24.3 DME and hold.

ATIS 125.2	BATON ROUGE APP CON ★ 120.3 278.3	RYAN TOWER ★ 118.45 (CTAF) 257.8	GND CON 121.9	CLNC DEL 119.4	UNICOM 122.95
----------------------	---	--	-------------------------	--------------------------	-------------------------



ELEV 70	D	TDZE 69
---------	---	---------



Remain within 10 NM

2500

246°

066°

2500

3.00° TCH 55

2500

LSU VORTAC

PAYIN LSU 5 RADAR

LSU 5.8

LSU 7.5

AROLL INT

LSU R-060

*960 when using Hammond altimeter setting.

5 NM

0.8

1.6

CATEGORY	A	B	C	D
S-4L	860-1 791 (800-1)	860-1¼ 791 (800-1¼)	860-2½	791 (800-2½)
C CIRCLING	860-1 790 (800-1)	860-1¼ 790 (800-1¼)	860-2½	790 (800-2½)

PAYIN FIX MINIMUMS

S-4L	640-1	571 (600-1)	640-1½	571 (600-1½)
C CIRCLING	640-1 570 (600-1)	660-1 590 (600-1)	780-2 710 (800-2)	840-2½ 770 (800-2½)

SC-4, 10 JUL 2025 to 07 AUG 2025

SC-4, 10 JUL 2025 to 07 AUG 2025