



APP CRS	Rwy Ldg	7011
113°	TDZE	132
	Apt Elev	132

RNAV (RNP) Y RWY 11  
LAURENCE G HANSCOM FLD (BED)

RNP AR APCH.			<div>MALSR</div> <div></div>	MISSED APPROACH: Climb to 1000 then climbing left turn to 2000 direct ZIMOT and hold.		
<div><div>T</div><div>For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C . For inop ALS, increase RNP 0.30 all Cats visibility to 1 1/2 SM.</div></div>						
ATIS 124.6	BOSTON APP CON 124.4 279.6	HANSCOM TOWER ★ 118.5 (CTAF) 0 257.2	GND CON 121.7	CLNC DEL 121.85	UNICOM 122.95	



ELEV 132

TDZE 132

VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 67).

GP 3.00° TCH 50

See planview for multiple IF locations.

5.1 NM

CATEGORY A B C D

RNP 0.30 DA 534/45 402 (500-7%)

AUTHORIZATION REQUIRED

1000 2000 ZIMOT

113°

7011 X 150

TWR

MIRL Rwy 5-23

HIRL Rwy 11-29

REIL Rws 5 and 23

NE-1, 10 JUL 2025 to 07 AUG 2025

NE-1, 10 JUL 2025 to 07 AUG 2025