

LOC/DME I-DEC
110.9
Chan **46**

APP CRS
240°

Rwy Idg
TDZE **682**
Apt Elev **682**

LOC BC RWY 24
DECATUR (DEC)

DME required.


▼

▲

When local altimeter setting not received use Lincoln altimeter setting and increase all MDA 80 feet, increase S-LOC 24 Cat C/D visibility ½ SM and Circling Cat C/D visibility ¼ SM.

MISSED APPROACH: Climb to 2000 then climbing right turn to 3100 on heading 050° and AXC VORTAC R-348 to MAROA INT/AXC 14.3 DME and hold.

ATIS 126.35	CHAMPAIGN APP CON* 132.85 290.225	DECATUR TOWER* 118.9 (CTAF) 0 291.775	GND CON 121.75 291.775	UNICOM 122.95
-----------------------	---	---	----------------------------------	-------------------------



ELEV 682 D TDZE 682

FAF to MAP 3.8 NM

Knots	60	90	120	150	180
Min:Sec	3:48	2:32	1:54	1:31	1:16

BACK COURSE

2000 3100 AXC R-348 MAROA INT

Disregard GS indications.

UNITI I-DEC 10.4

hdg 050°

AKLEY I-DEC 4.3

3.08°

SADGY I-DEC 0.5 ZINOB I-DEC 2.2 TCH 52

2200 2300

0.7 1.7 NM 2.1 NM 6.1 NM

CATEGORY	A	B	C	D
S-LOC 24	1020-1 338 (400-1)			
CIRCLING	1140-1 458 (500-1)	1240-1 558 (600-1)	1360-2 678 (700-2)	1360-2¼ 678 (700-2¼)