


WAAS CH 56431 W18A	APP CRS 177°	Rwy Idg TDZE Apt Elev	6327 1073 1076
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 18

DUBUQUE RGNL (DBQ)

RNP APCH-GPS.		MISSED APPROACH: Climb to 2700 direct DIVE and hold.
<div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div></div><div></div></div></div></div>	For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -28°C or above 54°C.	

ATIS 127.25	CHICAGO CENTER 133.95 281.4	DUBUQUE TOWER ★ 119.5 (CTAF) 0 254.4	GND CON 121.8	UNICOM 122.95
-----------------------	---------------------------------------	--	-------------------------	-------------------------



4 NM Holding Pattern		WITOK		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 34).		2700	DIVE
6000 ← 357°				ZUGNI			
3000 → 177°				2900			
GP 3.00° TCH 50				2900		1.3 NM to RW18	RW18
		7 NM		4.3 NM		1.3 NM	
CATEGORY	A	B	C	D			
LPV DA	1323-¾		250 (300-¾)				
LNAV/ VNAV DA	1334-7/8		261 (300-7/8)				
LNAV MDA	1520-1 447 (500-1)		1520-1 3/8 447 (500-1 3/8)				
CIRCLING	1580-1 504 (600-1)	1600-1 524 (600-1)	1600-1 1/2 524 (600-1 1/2)	1800-2 1/4 724 (800-2 1/4)			

