



LOC/DME I-TLH 110.3 Chan 40	APP CRS 004°	Rwy Idg 7000 TDZE 62 Apt Elev 83	ILS Z or LOC Z RWY 36 TALLAHASSEE INTL (TLH)
---	------------------------	---	---

DME required. RADAR required for procedure entry at CVILL.			MALSR		MISSED APPROACH: Climb to 4000 direct SZW VORTAC and hold, continue climb-in-hold to 4000.	
<div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div>ASR</div></div> <div>* RVR 1800 authorized with use of FD or AP or HUD to DA.</div>			<div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div></div><div></div><div></div></div><div></div></div>			
ATIS		TALLAHASSEE APP CON *	TALLAHASSEE TOWER *	GND CON	CLNC DEL	UNICOM
119.45 239.25		135.8 317.4	118.7 (CTAF) 0 257.8	121.9 348.6	126.65 275.8	123.075



4000 SZW				
CATEGORY	A	B	C	D
S-ILS 36 *	262/24		200 (200-½)	
S-LOC 36	460/24	398 (400-½)	460/35	398 (400-¾)
CIRCLING	580-1 497 (500-1)	600-1 517 (600-1)	640-1½ 557 (600-1½)	800-2¼ 717 (800-2¼)

SE-3, 10 JUL 2025 to 07 AUG 2025

SE-3, 10 JUL 2025 to 07 AUG 2025