

WAAS
CH **45622**
W15A

APP CRS
146°

Rwy ldg
TDZE **22**
Apt Elev **22**

RNAV (GPS) RWY 15

MARTIN STATE (MTN)

RNP APCH.


▼

▲

Rwy 15 helicopter visibility reduction below $\frac{3}{4}$ SM NA. When local altimeter setting not received, use Baltimore/Washington Intl Thurgood Marshall altimeter setting; increase all MDA 60 feet and increase LP Cats C and D visibility $\frac{1}{8}$ SM, UNAV Cats C and D visibility $\frac{1}{4}$ SM and Circling Cat C and D visibility $\frac{1}{4}$ SM. Circling Cat D NA northeast of Rwy 15-33.

MISSED APPROACH:
Climbing right turn to 3000 direct MEHAN and hold.

ATIS 124.925	POTOMAC APP CON 119.0 282.275	MARTIN TOWER ★ 121.3(CTAF) 0 254.425	GND CON 121.8 253.4	UNICOM 122.95
------------------------	---	--	-------------------------------	-------------------------



4 NM Holding Pattern MEHAN

VGSI and descent angles not coincident (VGSI Angle 4.01/TCH 37).

3000 MEHAN

6000 3000 322° 142°

ODORS

WOSBI 2.7 NM to RW15

1 NM to RW15

RW15

3.10° TCH 55

2000

960

7.5 NM 3.2 NM 1.7 1 NM

CATEGORY	A	B	C	D
LP MDA	500-1	478 (500-1)	500-1 $\frac{3}{8}$	478 (500-1 $\frac{3}{8}$)
UNAV MDA	520-1	498 (500-1)	520-1 $\frac{3}{8}$	498 (500-1 $\frac{3}{8}$)
CIRCLING	560-1	538 (600-1)	680-1 $\frac{3}{4}$ 658 (700-1 $\frac{3}{4}$)	740-2 $\frac{1}{4}$ 718 (800-2 $\frac{1}{4}$)

Rwy 33 ldg 8100'
(Military Operations Only)
Rwy 15 take-off 8100'
(Military Operations Only)