

WAAS CH <b>86420</b> <b>W09A</b>	APP CRS <b>092°</b>	Rwy Idg TDZE Apt Elev <b>5004</b> <b>905</b> <b>905</b>
--	------------------------	---

RNAV (GPS) RWY 9R

OHIO STATE UNIVERSITY (OSU)

RNP APCH. ▼ Baro-VNAV NA when using John Glenn Columbus Intl altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C or above 38°C. VDP NA with John Glenn Columbus Intl altimeter setting. When local altimeter setting not received, use John Glenn Columbus Intl altimeter setting; increase LPV DA to 1140 feet; increase LNAV/VNAV DA to 1227 feet; increase all MDAs 40 feet and LNAV visibility Cat C ½ SM, Cat D ¼ SM and Circling Cat D ¼ SM. Circling Rwy 23 NA at night. For inop ALS, increase LNAV/VNAV visibility all Cats to ¾ SM. ▲			MALSR A5	MISSED APPROACH: Climb to 3200 direct KOLNY and hold.	
ATIS <b>121.35</b>	COLUMBUS APP CON <b>125.95 317.775</b>	STATE TOWER ★ <b>118.8 (CTAF) 0 254.325</b>	GND CON <b>121.7</b>	CLNC DEL <b>121.7</b>	UNICOM <b>122.95</b>

