

WAAS CH <b>86309</b> <b>W06A</b>	APP CRS <b>057°</b>	Rwy Ldg TDZE <b>1763</b> Apt Elev <b>1763</b>
--	------------------------	---

RNAV (GPS) RWY 6

ALBERT S NADER RGNL (N66)

RNP APCH - GPS.


▼

▲ NA

When local altimeter setting not received, use Binghamton altimeter setting: increase LPV DA to 2197 feet, LNAV/VNAV DA to 2473 feet, and all MDAs 140 feet; increase LPV and LNAV/VNAV visibilities all Cats ½ SM. Baro-VNAV NA when using Binghamton altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -18°C or above 54°C. Rwy 6 helicopter visibility reduction below 1 SM NA. Procedure NA at night.

MISSED APPROACH: Climb to 4500 direct RIYOV and right turn on track 147° to UYUNI and right turn on track 237° to OYADU and on track 327° to WODIT and hold.

AWOS-3 <b>119.575</b>	BOSTON CENTER <b>133.25 279.5</b>	UNICOM <b>122.8 (CTAF) 0</b>
--------------------------	--------------------------------------	---------------------------------



5 NM Holding Pattern

4500

RIYOV

UYUNI

OYADU

tr 327°

WODIT

WODIT

4500

← 237°

057° →

057°

TIYUL

3600

RW06

GP 3.00°

TCH 55

6.1 NM

5.5 NM

CATEGORY	A	B	C	D
LPV DA	2075-1	312 (400-1)	NA	
LNAV/VNAV DA	2351-2	588 (600-2)	NA	
LNAV MDA	2260-1	497 (500-1)	NA	
CIRCLING	2380-1	617 (700-1)	NA	

ELEV 1763

TDZE 1763

057°

4199 X 75

0.3% UP

MIRL Rwy 6-24 0

REIL Rws 6 and 24 0