

APP CRS  
130°

Rwy Idg  
TDZE  
Apt Elev

3900  
408  
412

RNAV (GPS) RWY 13  
FRANKLIN COUNTY (F53)

▼

NA

DME/DME RNP-0.3 NA. Use Mount Pleasant Rgnl altimeter setting; if not received, procedure NA. Procedure NA at night. Helicopter visibility reduction below 1 SM NA.

MISSED APPROACH: Climb to 3000 direct FOSMA and hold.

OSA AWOS-3 119.775	FORT WORTH CENTER 132.025 360.75	UNICOM 123.0 (CTAF)
-----------------------	-------------------------------------	------------------------

The main chart displays the RNAV (GPS) RWY 13 approach. Key features include:

- Initial Descent:** From 3000 ft, a 360° turn with a 1.7 NM radius leads to a 3000 ft altitude.
- Intermediate Segment:** A 3000 ft segment with a 220° heading and 1.5 NM distance leads to the (IF/IAF) KEDEY.
- Final Segment:** A 2000 ft segment with a 16.2 NM distance leads to the (FAF) ICUKA.
- Descent:** A 500 ft descent leads to the 519± ft altitude, followed by a 837 ft and 794± ft descent.
- Obstacles:** Obstacles are marked at 1042 ft, 1502 ft, and 436 ft.
- Navigation Aids:** The chart includes the MSA RWY 13 25 NM with a 2600 ft MSL, and the FOSMA (Franklin County) obstacle at 1502 ft.
- Other Features:** The chart also shows the (IAF) PARIS PRX, (IAF) DUYAD, and (FAF) ICUKA, as well as the 3000 ft DUYAD and 3000 ft OSUYE.

ELEV 412 TDZE 408

130°

0.4 NM UP

3000 X-40

436

51

5 NM Holding Pattern

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 37).

3000

310°

130°

KEDEY

ICUKA

2000

3.04°

TCH 40

6.2 NM

4.9 NM

RW13

FOSMA

3000

4 NM

CATEGORY	A	B	C	D
LNAV MDA	820-1 412 (500-1)		NA	
CIRCLING	940-1 528 (600-1)	980-1 568 (600-1)		NA

MOUNT VERNON, TEXAS  
Orig-B 25MAR21

33°13'N-095°14'W

FRANKLIN COUNTY (F53)  
RNAV (GPS) RWY 13