


APP CRS 011°	Rwy Ldg TDZE 284 Apt Elev 285	RNAV (RNP) Z RWY 1 ALBANY INTL (ALB)	
------------------------	---	---	--

<div><div></div><div>GPS required. For uncompensated Baro-VNAV systems, procedure NA below -15°C (3°F) or above 47°C (117°F). For inoperative MALSR, increase RNP 0.15 visibility to 1½ and RNP 0.30 visibility to 1½.</div></div>	<div><div>MALSR</div><div><div></div><div></div></div></div> <div>MISSED APPROACH: Climb to 3000 on track 011° to OXFIC and on track 357° to OTOLE and hold.</div>
--	--

D-ATIS 120.45	ALBANY APP CON 132.825 307.2	ALBANY TOWER 119.5 257.8	GND CON 121.7 348.6	CLNC DEL 127.50
-------------------------	--	------------------------------------	-------------------------------	---------------------------



ELEV 285

D

TDZE 284

61

8500 X 1.50

7200 X 1.50

0.2% DOWN

011°

HIRL Rwy 1-19 and 10-28

REIL Rwy 10 and 28

TWR

3000

↑

tr 011°

OXFIC

tr 357°

OTOLE

See planview for multiple IF locations.

RW01

011°

1400

GP 3.00°

TCH 56

3.3 NM

CATEGORY	A	B	C	D
RNP 0.15 DA		656/40	372 (400-¾)	
RNP 0.30 DA		727/50	443 (500-1)	

AUTHORIZATION REQUIRED