


WAAS CH <b>40114</b> <b>W21A</b>	APP CRS <b>213°</b>	Rwy Idg TDZE <b>1420</b> Apt Elev <b>1428</b>
--	------------------------	---



RNAV (GPS) RWY 21  
DULUTH INTL (DLH)

<b>ASR</b> For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C (2°F) or above 46°C (115°F). DME/DME RNP-0.3 NA. Rwy 21 helicopter visibility reduction below ¾ SM NA.	MISSED APPROACH: Climb to 3200 direct OMARY and hold.
--	---

ATIS <b>124.1 270.1</b>	DULUTH APP CON <b>125.45 233.7</b>	DULUTH TOWER <b>118.3 257.8</b>	GND CON <b>121.9 348.6</b>
----------------------------	---------------------------------------	------------------------------------	-------------------------------



ELEV 1428	<b>D</b>	TDZE 1420
-----------	----------	-----------



CATEGORY	A	B	C	D
LPV DA	1708-1 288 (300-1)			
LNAV/VNAV DA	1927-1¼ 507 (500-1¼)			
LNAV MDA	1840-1	420 (500-1)	1840-1¼	420 (500-1¼)
<b>C</b> CIRCLING	1880-1 452 (500-1)	1900-1 472 (500-1)	1940-1½ 512 (600-1½)	2400-3 972 (1000-3)