

FOLZZ THREE DEPARTURE(RNAV) Departure Routes

RNAV-1 DME/DME/IRU or GPS.
SNAGY and SUMRS Transitions: RNAV 1-GPS.

RADAR required.

TOP ALTITUDE:
5000

TAKEOFF MINIMUMS

Rwy 8L: Standard with minimum climb of 500' /NM to 520, then minimum climb of 215' per NM to 1400.
 Rwy 8R: Standard with minimum climb of 500' /NM to 520, then minimum climb of 235' per NM to 1400.
 Rwy 9: Standard with minimum climb of 500' /NM to 520, then minimum climb of 240' per NM to 1400.
 Rwy 12: Standard with minimum climb of 500' /NM to 520, then minimum climb of 230' per NM to 1400.
 Rwy 26L/R: 27: 30: Standard with minimum climb of 500' /NM to 520.

MIAMI DEP CON
1119.45 290.325
D-ATIS
133.675
CLINC DEL
135.35
CPDIC
GND CON
RWys 8L/R, 12, 2
121.8 348.6
(RWys 9, 27, 30)
127.5 348.6
MIAMI TOWER
118.3 256.9

GND CON

URWys 81/R 12 261/R)

17218 348

121.0 340.
121.0 340.

1075 210

127.5 348.

MIAMI TOW

118.3 256

See following page for transition

F

2.

1

✓

5

1

25

14

1

NOTE: Chart not to scale.

(CONTINUED ON FOLLOWING PAGE)

NOTE: Jet aircraft only.
NOTE: Accelerate to 250K until leaving 10000, if unable, advise ATC.
NOTE: PADUS Transition for Freeport arrivals only.
NOTE: SNAGY and SUMRS Transitions for European traffic only.

SE-3, 07 AUG 2025 to 04 SEP 2025

FOLZZ THREE DEPARTURE (RNAV) Departure Routes
(FOLZZ3.FOLZZ) 21MAR24

MIAMI, FLORIDA
MIAMI INTL (MIA)

21MAR24