

APP CRS
185°

Rwylg
5234

TDZE
62

Apt Elev
62

RNAV (RNP) RWY 19
SEBRING RGNL (SEF)

RNP AR APCH GPS.

▼

▲NA

For uncompensated Baro-VNAV systems, procedure NA below -15°C or above 54°C.

MISSED APPROACH: Climb to 2000 on track 185° to EMBRU and hold.

AWOS-3 119.475	MIAMI CENTER 134.55 257.7	UNICOM 122.7 (CTAF) 0
--------------------------	-------------------------------------	---------------------------------

Procedure NA for arrivals at HALLR on V509 southeast bound.

Procedure NA for arrivals at RINSE on V157-521 southeast bound.

SEBRING RGNL (SEF) MSA RW 19 25 NM 1900

EMB RU 4 NM

LICIC

2000

GP 3.00°
TCH 55

CETOS

1800

SEAMO

718

EMB RU

2000

tr 185°

VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 42).

096°

1800

185°

7 NM

3.4 NM

1.9 NM

CATEGORY	A	B	C	D
RNP 0.30 DA	440-1¼ 378 (400-1¼)			

ELEV 62

D

TDZE 62

185°

61

5234 X 100

4990 X 100

32

AUTHORIZATION REQUIRED

MIRL Rwy 1-19 0
REIL Rwy 1 and 19 0

SEBRING, FLORIDA
Amdt 1B 19MAY22

27°27'N-81°21'W

SEBRING RGNL (SEF)
RNAV (RNP) RWY 19