



LOC/DME I-BDL 111.1 Chan 48	APP CRS 058°	Rwy Ldg TDZE 173 Apt Elev 173	ILS RWY 6 (CAT II & III) BRADLEY INTL (BDL)
---	------------------------	---	--

RADAR required for procedure entry.	ALSF-2	MISSED APPROACH: Climb to 4000 then left turn direct BAF VORTAC and hold.
CAT II: RVR 1000 authorized with specific OPSPEC, MSPEC or LOA approval and use of autoland or HUD to touchdown.		

D-ATIS 118.15	YANKEE APP CON 123.95 290.55 (061°-240°) 125.35 281.5 (241°-060°)	BRADLEY TOWER 120.3 351.8	GND CON 121.9 348.6	CLNC DEL 121.75 322.3	CPDLC
-------------------------	---	-------------------------------------	-------------------------------	---------------------------------	-------



VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 71).				4000	BAF
One Minute Holding Pattern	PENNA INT I-BDL [12.8]	JANID INT I-BDL [9.9]	HUNEE INT I-BDL [6.9]		
7000 3000 238° 058° 1800 2400 058° 1800					
GS 3.00° TCH 54					
	3 NM	3 NM	4.9 NM	1052'	
CATEGORY	A	B	C	D	
S-ILS 6	CAT II RA 101/12 100 DA 273				
S-ILS 6	CAT III RVR 06				

CATEGORY II & III ILS-SPECIAL AIRCREW & AIRCRAFT CERTIFICATION REQUIRED