



|  |                        |   |
|--|------------------------|---|
| WAAS<br>CH <b>90109</b><br><b>W13A</b> | APP CRS<br><b>134°</b> | Rwy Idg <b>5813</b><br>TDZE <b>968</b><br>Apt Elev <b>978</b> |
|--|------------------------|---|

RNAV (GPS) RWY 13

JOPLIN RGNL (JLN)

|  |  |  |   |                         |
|--|--|--|---|-------------------------|
| RNP APCH.<br>MALSF (NSTD) 1368'. Baro-VNAV NA below -16°C (4°F).<br>For inop MALSF, increase LPV Cats A/B/C visibility to 1. |  | MALSF<br>                              | MISSED APPROACH: Climb to 3100 direct HOVIL and hold. |                         |
| ATIS<br><b>120.85</b>  | KANSAS CITY CENTER<br><b>128.6 282.325</b> | JOPLIN TOWER★<br><b>119.8 (CTAF) 0</b> | GND CON<br><b>121.6</b>                               | UNICOM<br><b>122.95</b> |



|                      |         |        |              |                  |                         |
|----------------------|---------|--------|--------------|------------------|-------------------------|
| 4 NM Holding Pattern |         | HOTCH  |              | 3100             | HOVIL                   |
| 3100 ← 314°          |         | 134° → |              | *1.1 NM to RWY13 |                         |
| GP 3.00°             |         | 2200   |              | *LNAV only.      |                         |
| TCH 40               |         | 9.3 NM |              | 2.7 NM           |                         |
|                      |         |        |              | 1.1 NM           |                         |
| CATEGORY             | A       | B      | C            | D                |                         |
| LPV DA               | 1220-¾  |        | 252 (300-¾)  |                  | 1220-1<br>252 (300-1)   |
| LNAV/VNAV DA         | 1380-1¼ |        | 412 (400-1¼) |                  | 1380-1½<br>412 (400-1½) |
| LNAV MDA             | 1340-¾  |        | 372 (400-¾)  |                  | 1340-1<br>372 (400-1)   |
| <b>C</b> CIRCLING    | 1500-1½ |        | 522 (600-1½) |                  | 1600-2<br>622 (700-2)   |