


APP CRS
130°

Rwy Ldg
TDZE
Apt Elev
6857
451
477

RNAV (RNP) Z RWY 13R
PALM SPRINGS INTL (PSP)

RNP AR APCH-GPS, RF, min RNP 0.50. Authorization required.			MISSED APPROACH: Climb to 900 then climbing left turn to 4000 direct TRM VORTAC and hold.		
▼ For uncompensated Baro-VNAV systems, procedure NA below 4°C or above 54°C.					
ATIS 124.65	SOCAL APP CON 126.7 370.95 135.275 251.1	PALM SPRINGS TOWER★ 119.7 (CTAF) 377.05	GND CON 121.9	CLNC DEL 128.35	UNICOM 122.95



ELEV 477 | **D** | TDZE 451

HIRL Rwy 13R-31L
MIRL Rwy 13L-31R
REIL Rws 13R and 31L
REIL Rws 13L and 31R

<div>SCOTR</div> <div>5000</div> <div>273°</div> <div>GERTL</div> <div>2800</div> <div>LATZY</div> <div>2300</div> <div>HUGSO</div> <div>1711</div> <div>RW13R</div> <div>GP 3.00° TCH 50</div> <div>6.8 NM</div> <div>3.1 NM</div> <div>1.9 NM</div> <div>3.8 NM</div> <div>900</div> <div>4000</div> <div>TRM</div> <div>↑</div> <div>↷</div> <div>⬡</div>				
CATEGORY	A	B	C	D
RNP 0.10 DA	749-7⁄8 298 (300-7⁄8)			
RNP 0.30 DA	882-1¼ 431 (500-1¼)			
AUTHORIZATION REQUIRED				