


VOR/DME LRP	APP CRS	Rwy Ldg
<b>117.3</b>	<b>319°</b>	<b>4102</b>
Chan <b>120</b>		TDZE <b>403</b>
		Apt Elev <b>403</b>

VOR/DME RWY 31


LANCASTER (LNS)

<div><div></div><div>Night landing: Rwy 13, 31 NA. Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Harrisburg Int altimeter setting and increase all MDA 80 feet, increase Cat C/D visibility ¼ mile.</div></div>	MISSED APPROACH: Climb to 3000 via LRP VOR/DME R-333 to KUPPS INT/LRP 12.5 DME and hold.
---	--

ATIS <b>125.675</b>	HARRISBURG APP CON <b>126.45 281.525</b>	LANCASTER TOWER★ <b>120.9 (CTAF) 251.1</b>	GND CON <b>121.8</b>	UNICOM <b>122.95</b>
------------------------	---	---	-------------------------	-------------------------



ELEV <b>403</b>	<b>D</b>	TDZE <b>403</b>
-----------------	----------	-----------------



3000	LRP R-333	KUPPS	HABER LRP 9.4	4 NM Holding Pattern
LRP VOR/DME	ACOCU LRP 0.6	QUALE LRP 3.4	139°	2500
	TCH 37	1500	319°	
0.6	2.8 NM	6 NM		
CATEGORY	A	B	C	D
S-31	840-1	437 (500-1)	840-1¼ 437 (500-1¼)	840-1½ 437 (500-1½)
CIRCLING	940-1	537 (600-1)	960-1½ 557 (600-1½)	1080-2¼ 677 (700-2¼)

NE-4, 07 AUG 2025 to 04 SEP 2025

NE-4, 07 AUG 2025 to 04 SEP 2025