

|  |                        |   |
|--|------------------------|---|
| WAAS<br>CH <b>49232</b><br><b>W02A</b> | APP CRS<br><b>017°</b> | Rwy Idg <b>6000</b><br>TDZE <b>444</b><br>Apt Elev <b>444</b> |
|--|------------------------|---|

RNAV (GPS) RWY 2  
BREMERTON NTL (PWT)

|                 |  |
|-----------------|--|
| RNP APCH - GPS. |  |
|-----------------|--|



Circling NA for Cats C and D west of Rwy 2-20.  
Rwy 2 helicopter visibility reduction below  $\frac{3}{4}$  SM NA.  
For uncompensated BARO-VNAV systems, LNAV/VNAV NA  
below -15°C above 54°C.

**MISSED APPROACH:** Climb to 1 200 then climbing right turn to 4000 direct ZOLGI and hold, continue climb-in-hold to 4000.

|                          |   |                          |   |
|--------------------------|---|--------------------------|---|
| AWOS-3PT<br><b>121.2</b> | SEATTLE APP CON<br><b>120.1 254.4 269.125</b> | CLNC DEL<br><b>127.1</b> | UNICOM<br><b>123.05</b> (CTAF) <b>1</b> |
|--------------------------|---|--------------------------|---|





Diagram illustrating the ZOLGI holding pattern and approach procedure:

- Holding Pattern:** 4 NM Holding Pattern. ZOLGI.
- Approach:** GP 3.00° TCH 56. 2100.
- Descent:** 010° descent to 2100.
- Final Approach:** 017° descent to RW02.
- Key Locations:** ZOLGI, CEBOD, RW02.
- Altitudes:** 6000, 4000, 2100.
- Angles:** 233°, 053°, 010°, 017°.
- Notes:** VGS and RNAV glidepath not coincident (VGS Angle 3.00/TCH 43). \*LNAV only. \*2.1 NM to RW02.

| CATEGORY   |     | A                  |  | B            |  | C                  |  | D                    |  |
|--|-----|--------------------|--|--------------|--|--------------------|--|----------------------|--|
| LPV  | DA  | 772-1              |  | 328 (400-1)  |  |                    |  |                      |  |
| RNAV/<br>VNAV  | DA  | 913-1½             |  | 469 (500-1½) |  |                    |  |                      |  |
| RNAV   | MDA | 1160-1 716 (800-1) |  |              |  | 1160-2 716 (800-2) |  |                      |  |
|  CIRCLING |     | 1160-1 716 (800-1) |  |              |  | 1160-2 716 (800-2) |  | 1240-2½ 796 (800-2½) |  |

