

COLBY, KANSAS

AL-5749 (FAA)

23278

| | | |
|----------------------------------------|------------------------|-----------------------------------------------------------------|
| WAAS CH 78045 W17A | APP CRS 172° | Rwy Idg 5110 TDZE 3188 Apt Elev 3188 |
|----------------------------------------|------------------------|-----------------------------------------------------------------|

RNAV (GPS) RWY 17
SHALZ FLD (CBK)


RNP APCH - GPS.

T Baro-VNAV and VDP NA when using Oakley altimeter setting. For uncompensated
A Baro-VNAV systems, LNAV/VNAV NA below -21°C or above 54°C. When local
altimeter setting not received, use Oakley altimeter setting: increase LPV DA to 3509 feet
and all visibilities ¼ SM, LNAV/VNAV DA to 3509 feet and all visibilities ¼ SM;
increase all MDAs 80 feet and visibility Cat C ½ SM.


MISSED APPROACH: Climb to 5200 direct IKBW and hold.

AWOS-3P
118.175


DENVER CENTER
132.7 226.675

UNICOM
122.8 (CTAF) **L**

| | |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 5200 | IKBUW |
|  |  |



| CATEGORY | | A | B | C | D |
|---------------|-----|---------------------|---------------------------|----------------------------------------------------|----|
| LPV | DA | 3438- $\frac{3}{4}$ | 250 (300- $\frac{3}{4}$) | | NA |
| LNAV/ VNAV | DA | 3438- $\frac{3}{4}$ | 250 (300- $\frac{3}{4}$) | | NA |
| LNAV | MDA | 3620-1 | 432 (500-1) | 3620-1 $\frac{1}{4}$ 432 (500-1 $\frac{1}{4}$) | NA |



COLBY, KANSAS
Amdt 3 05OCT23

39°26'N-101°03'W

SHALZ FLD (CRK)

RNAV (GPS) RWY 17

NC-2, 07 AUG 2025 to 04 SEP 2025