



LOC/DME BC-B
ROGUE VALLEY INTL/MEDFORD (MFR)

MISSED APPROACH: Climb to 7600 direct OED VORTAC and hold, continue climb-in-hold to 7600.

| | | | | |
|-----------------------|-----------------------------------------|------------------------------------------------|-------------------------|-------------------------|
| ATIS 127.25 | CASCADE APP CON ★ 124.3 379.9 | MEDFORD TOWER ★ 119.4 (CTAF) 0 257.8 | GND CON 121.8 | UNICOM 122.95 |
|-----------------------|-----------------------------------------|------------------------------------------------|-------------------------|-------------------------|



| 7600 ↑ | OED | VSGI and descent angles not coincident (VSGI Angle 3.00/TCH 50). | ASHIE I-MFR 16.6 | 4 NM Holding Pattern |
|---------------------------|---------------------------|---------------------------------------------------------------------|---------------------|-------------------------|
| Disregard GS indications. | | ZOVIN I-MFR 13 | YIPUG I-MFR 11 | HGXOR I-MFR 9 |
| JIPTO I-MFR 0.5 | 5.98° TCH 45 | 7200 | 7800 | 8400 |
| | | Use I-MFR DME when on the localizer course. | | |
| 0.7 | 8.5 NM | 2 NM | 2 NM | 3.6 NM |
| CATEGORY | A | B | C | D |
| CIRCLING | 3540-1¼ 2205 (2300-1¼) | 3540-1½ 2205 (2300-1½) | 3540-3 | 2205 (2300-3) |

| | | | |
|-------------------------------------------------|------------------------|-----------------------------|-----------------------------------------|
| LOC/DME I-MFR 110.3 Chan 40 | APP CRS 323° | Rwy Ldg TDZE Apt Elev | N/A N/A 1335 |
|-------------------------------------------------|------------------------|-----------------------------|-----------------------------------------|

LOC/DME BC-B



ROGUE VALLEY INTL/MEDFORD (MFR)




Visibility reduction by helicopters NA. Circling NA for Cats C and D northeast of Rwy 14-32.

MISSED APPROACH: Climb to 7600 direct OED VORTAC and hold, continue climb-in-hold to 7600.

| | | | | |
|-----------------------|-----------------------------------------|------------------------------------------------|-------------------------|-------------------------|
| ATIS 127.25 | CASCADE APP CON ★ 124.3 379.9 | MEDFORD TOWER ★ 119.4 (CTAF) 0 257.8 | GND CON 121.8 | UNICOM 122.95 |
|-----------------------|-----------------------------------------|------------------------------------------------|-------------------------|-------------------------|



| | | | | | |
|---------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------|----------------------------|---------------------------------------------|
| 7600 ↑ | OED  | VSGI and descent angles not coincident (VSGI Angle 3.00/TCH 50). | | ASHIE I-MFR <u>16.6</u> | 4 NM Holding Pattern |
| Disregard GS indications. | | HOXOR I-MFR <u>9</u> | YIPUG I-MFR <u>13</u> | ZOVIN I-MFR <u>13</u> | |
| JIPTO I-MFR <u>0.5</u> | | 5.98° TCH 45 | | 323° | 143° → 9300 ← 323° |
| 7200 | | 7800 | | 8400 | Use I-MFR DME when on the localizer course. |
| 0.7 | | 8.5 NM | | 2 NM | 2 NM |
| 3.6 NM | | | | | |
| CATEGORY | A | | B | | C |
| CIRCLING | 3540-1¼ 2205 (2300-1¼) | | 3540-1½ 2205 (2300-1½) | | 3540-3 2205 (2300-3) |