

(ALISS6.ALISS) 24025

AL-371 (FAA)

KELLY FLD (SKF)

ALISS SIX DEPARTURE (RNAV)



SAN ANTONIO, TEXAS

SAN ANTONIO DEP CON
125.7 290.225
ATIS
120.45 273.5
GND CON
121.8 289.4
KELLY TOWER
124.3 322.35



TOP ALTITUDE:
ASSIGNED BY ATC

RNAV 1 - GPS.
RADAR required.



NOTE: Chart not to scale.

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 16: Climb on heading 158° or as assigned by ATC, for vectors to TREVA, thence . . .
TAKEOFF RUNWAY 34: Climb on heading 338° or as assigned by ATC, for vectors to TREVA, thence . . .

. . . on track 305° to TATAR, then on track 305° to ALISS.
Maintain ATC assigned altitude.

SC-3, 10 JUL 2025 to 07 AUG 2025

ALISS SIX DEPARTURE (RNAV)

(ALISS6.ALISS) 25JAN24

SAN ANTONIO, TEXAS

KELLY FLD (SKF)


(ALISS7.ALISS) 25219

AL-371 (FAA)

KELLY FLD (SKF)

SAN ANTONIO, TEXAS


ALISS SEVEN DEPARTURE (RNAV)

TOP ALTITUDE:
ASSIGNED BY ATC

RNAV 1 - DME/DME/IRU or GPS.

RADAR required for non-GPS equipped aircraft.
RADAR required.SAN ANTONIO DEP CON
125.7 290.225
ATIS
120.45 273.5
GND CON
121.8 289.4
KELLY TOWER
124.3 322.35

N

TAKEOFF MINIMUMS
Rwys 16, 34: Standard.

NOTE: Chart not to scale.

▼ DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAY 16: Climb on heading 158° or as assigned by ATC, for vectors to TREVA, thence. . .
TAKEOFF RUNWAY 34: Climb on heading 338° or as assigned by ATC, for vectors to TREVA, thence. . .

. . . on track 305° to TATAR, then on track 305° to ALISS. Maintain ATC assigned altitude. Expect filed altitude 10 minutes after departure.

SC-3, 07 AUG 2025 to 04 SEP 2025

ALISS SEVEN DEPARTURE (RNAV)

(ALISS7.ALISS) 07AUG25

SAN ANTONIO, TEXAS

KELLY FLD (SKF)