

KEOKUK, IOWA

AL-970 (FAA)

21112

WAAS CH 90104 W14A	APP CRS 140°	Rwy Idg 3576 TDZE 671 Apt Elev 672
--	------------------------	---


RNAV (GPS) RWY 14

KEOKUK MUNI (EOK)


⚠ Baro-VNAV NA when using Burlington altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F). DME/DME RNP -0.3 NA. Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Burlington altimeter setting and increase all DA 59 feet and all MDA 60 feet, increase LNAV and Circling Cat C visibility ¼ mile. Rwy 14 Straight-in and Circling and Circling to Rwy 32 NA at night.

MISSED APPROACH: Climb to 2700 direct CIMOD and hold.

AWOS-3 118.375	KANSAS CITY CENTER 126.225 317.775	UNICOM 122.8 (CTAF) 1
--------------------------	--	---------------------------------



ELEV 672	TDZE 671
----------	----------



5 NM Holding Pattern		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 36).		2700	CIMOD
HAVLU		JOLAB		2400	
2400 ← 320° 140° →		2400		RW14	
GP 3.00° TCH 40		6 NM		5.2 NM	
CATEGORY	A	B	C	D	
LPV DA	949-1		278 (300-1)		NA
LNAV/VNAV DA	1040-1¼		369 (400-1¼)		NA
LNAV MDA	1040-1		369 (400-1)		NA
CIRCLING	1180-1 508 (600-1)	1220-1 548 (600-1)	1220-1½ 548 (600-1½)		NA

REIL Rwy 8, 14 and 32 1
MIRL Rwy 8-26 and 14-32 1

KEOKUK, IOWA
Orig-D 22APR21

40°28'N-91°26'W

RNAV (GPS) RWY 14

KEOKUK, IOWA

AL-970 (FAA)

25219

WAAS CH 90104 W14A	APP CRS 140°	Rwy Ldg 3576 TDZE 671 Apt Elev 672
--	------------------------	---


RNAV (GPS) RWY 14

KEOKUK MUNI (EOK)


⚠ Baro-VNAV NA when using Burlington altimeter setting. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 54°C (130°F). DME/DME RNP -0.3 NA. Helicopter visibility reduction below 1 SM NA. When local altimeter setting not received, use Burlington altimeter setting and increase all DA 59 feet and all MDA 60 feet, increase LNAV and Circling Cat C visibility ¼ mile. Rwy 14 Straight-in and Circling and Circling to Rwy 32 NA at night.



MISSED APPROACH: Climb to 2700 direct CIMOD and hold.

AWOS-3 118.375	KANSAS CITY CENTER 126.225 317.775	UNICOM 122.8 (CTAF) 1
--------------------------	--	---------------------------------



ELEV 672	TDZE 671
----------	----------



5 NM Holding Pattern		VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 36).		2700 ↑	CIMOD 
					
CATEGORY	A	B	C	D	
LPV DA	949-1	278 (300-1)		NA	
LNAV/ VNAV	1040-1¼	369 (400-1¼)		NA	
LNAV MDA	1040-1	369 (400-1)		NA	
CIRCLING	1180-1 508 (600-1)	1220-1 548 (600-1)	1220-1½ 548 (600-1½)	NA	

KEOKUK, IOWA
Orig-D 22APR21

40°28'N-91°26'W

RNAV (GPS) RWY 14

NC-3, 07 AUG 2025 to 04 SEP 2025

NC-3, 07 AUG 2025 to 04 SEP 2025