



BETHEL LEGEND

SYMBOLS

- Class E Airspace
- Class G Airspace
- Class D Airspace
- Class C Airspace
- Class B Airspace
- Class A Airspace
- Obstructions
- Miscellaneous
- Topographic Information

ADDITIONAL AIRPORT INFORMATION

COMMUNICATION BOARDS


AIRPORT TRAFFIC SERVICES INFORMATION

NOTES

BETHEL SECTIONAL
 SECTIONAL CHART SCALE 1:500,000
 Federal Aviation Administration

EFFECTIVE 0901Z 25 FEB 2021
 TO 0901Z 22 APR 2021

Consult NOTAMS for latest information
 Consult NOTAMS for information on
 Temporary Flight Restrictions (TFRs) and other special operations.
 Consult NOTAMS for information on
 Temporary Flight Restrictions (TFRs) and other special operations.



FAA Product ID: SBET
 NSN 7540-01-000-9100
 SECXBETHEL

REVISIONS

125

CONTROL TOWER RESOURCES ON BETHEL SECTIONAL CHART

Control towers are shown on this chart with their frequencies and communication procedures. For more information, refer to the NOTAMS and the Aeronautical Information Manual (AIM).

NOTES

1. This chart is not to be used for navigation purposes. It is intended for use as a reference only.

2. The chart is not to be used for navigation purposes. It is intended for use as a reference only.

FOR INFORMATION

1. This chart is not to be used for navigation purposes. It is intended for use as a reference only.

2. The chart is not to be used for navigation purposes. It is intended for use as a reference only.

MILITARY TRAINING ROUTES (MTR)

1. This chart is not to be used for navigation purposes. It is intended for use as a reference only.

2. The chart is not to be used for navigation purposes. It is intended for use as a reference only.

FLIGHT INFORMATION SERVICES (FIS) AND FLIGHT INFORMATION SERVICES (FIS) ARE AVAILABLE ON REQUEST AND ARE ACCOMMODATED IN AND AROUND CLASS B, C, AND TRSA AREAS.

CAUTION: This chart is primarily designed for VFR (visual flight rules) operations and does not support the presence of all of the information and data required for IFR (instrument flight rules) operations. It is not to be used for IFR operations.